



GOLDEN TEMPLE



AMRITSAR

SPECIFICATIONS FOR KITCHEN EQUIPMENT

Dated: 12/08/2014

ARCHITECT

HABITAT ARCHITECTS 1777, MAHARAJ NAGAR, LDH.

CLIENT

SHIROMANI GURDWARA PARBANDHAK COMMITTEE.



INDIA - 1st & 2nd Floor, Doon Building, Plot No.230, Block A - 2, Sector - 17, Dwarka, New Delhi - 110078, Ph no: + 91 - 011 - 43505228/29

U.A.E - Dubai Airport Free Trade Zone, 3rd East Wing Building, 4th Floor, P.O Box- 54620, Dubai 54620, U.A.E, Ph no: +971-563738349


Email-projects@hpgconsulting.com, www.hpgconsulting.com


GOLDEN TEMPLE - AMRITSAR				
BILL OF QUANTITY FOR SHELVING				
ITEM NO.	QTY	DESCRIPTION	UNIT RATE	AMOUNT
BASEMENT FLOOR				
FOOD & GENERAL STORE				
FS-01	13	PALLET RACK		
FS-02	21	SUGAR STORE ROOM SHELVING		
FS-03	54	RICE STORE ROOM SHELVING		
FS-04	22	ATTA STORE ROOM SHELVING		
FS-05	13	VEG STORE ROOM SHELVING		
FS-08	59	GENERAL STORE ROOM SHELVING		
FS-09	23	TEA STORE ROOM SHELVING		
FS-10	30	DAL STORE ROOM SHELVING		
FS-11	35	MILK STORE ROOM SHELVING		
FS-14	39	GHEE & OIL STORE ROOM SHELVING		
GROUND FLOOR				
HOT FOOD PREP AREA				
K-31	10	DAY STORE ROOM SHELVING		

ITEM NO.	WIDTH	QTY	DESCRIPTION	UNIT RATE	AMOUNT
K-37	1525	2	REFER SHELVING		
	1220	12			
CK-19	1220	11	REFER SHELVING		
	1525	12			
	1060	3			

BILL OF QUANTITY OF REFER AND FREEZER SHELVING


ITEM NO: FS-01		PALLET RACK			
QUANTITY: 13		<p style="text-align: center;">Tentative Image</p>			
SIZE					
Width: (12) 2390 CC mm (1) 1400 mm	Depth: 1000 mm			Height: 3000 mm	
CAPACITY					
M.E.P REQUIREMENT		SPECIFICATIONS			
PLUMBING :		<ul style="list-style-type: none"> Two (2) nos. shelves. First shelf at 1200 A.F.F. & second at 2000 A.F.F. 			
Cold	Ø			NA	mm
Hot	Ø			NA	mm
Waste	Ø			NA	mm
ELECTRIC :					
Power	NA				
Voltage	NA				
Gas:					
BTU	NA				
Con.	Ø				mm
ACCESSORIES:					
SPECIAL NOTE:					
PREFERRED MAKE AND MODEL IN ALPHABETICAL ORDER					
NILKAMAL		GODREJ	SLOTCO		
CUSTOM BUILT		CUSTOM BUILT	CUSTOM BUILT		


ITEM NO : FS-02				SUGAR STORE ROOM SHELVING			
QUANTITY: 21				<p style="text-align: center;">Tentative Image</p> 			
CUSTOM BUILT.							
SIZE							
Width: (18) 2390 CC mm (3) 1400 mm	Depth: 1000 mm	Height: 1900					
CAPACITY							
M.E.P REQUIREMENT				SPECIFICATIONS			
PLUMBING :				<ul style="list-style-type: none"> Two (2) nos. shelves. First shelf at 1200 A.F.F. & second at 2000 A.F.F. 			
Cold	Ø	NA					
Hot	Ø	NA					
Waste	Ø	NA					
ELECTRIC :							
Power	NA						
Voltage	NA						
EXHAUST							
NA							
GAS:							
BTU	NA						
Con.	Ø	NA	mm				
ACCESSORIES:							
SPECIAL NOTE:							
PREFERRED MAKE AND MODEL IN ALPHABETICAL ORDER							
NILKAMAL		GODREJ		SLOTCO			
CUSTOM BUILT		CUSTOM BUILT		CUSTOM BUILT			

ITEM NO : FS-03				RICE STORE ROOM SHELVING			
QUANTITY: 54				<p style="text-align: center;">Tentative Image</p> 			
CUSTOM BUILT.							
SIZE							
Width: (44) 2390 CC mm (10) 1400 mm	Depth: 1000 mm	Height: 1900					
CAPACITY							
M.E.P REQUIREMENT				SPECIFICATIONS			
PLUMBING :				<ul style="list-style-type: none"> Two (2) nos. shelves. First shelf at 1200 A.F.F. & second at 2000 A.F.F. 			
Cold	Ø	NA					
Hot	Ø	NA					
Waste	Ø	NA					
ELECTRIC :							
Power	NA						
Voltage	NA						
EXHAUST							
NA							
GAS:							
BTU	NA						
Con.	Ø	NA	mm				
ACCESSORIES:							
SPECIAL NOTE:							
PREFERRED MAKE AND MODEL IN ALPHABETICAL ORDER							
NILKAMAL				GODREJ		SLOTCO	
CUSTOM BILT				CUSTOM BUILT		CUSTOM BUILT	


ITEM NO : FS-04		ATTA STORE ROOM SHELVING	
QUANTITY: 22		<p style="text-align: center;">Tentative Image</p>	
CUSTOM BUILT.			
SIZE			
Width: (18) 2390 CC mm (4) 1400 mm	Depth: 1000 mm		
CAPACITY			
M.E.P REQUIREMENT		SPECIFICATIONS	
PLUMBING :		<ul style="list-style-type: none"> Two (2) nos. shelves. First shelf at 1200 A.F.F. & second at 2000 A.F.F. 	
Cold	∅ NA		
Hot	∅ NA		
Waste	∅ NA		
ELECTRIC :			
Power	NA		
Voltage	NA		
EXHAUST			
NA			
GAS:			
BTU	NA		
Con.	∅ NA mm		
ACCESSORIES:			
SPECIAL NOTE:			
PREFERRED MAKE AND MODEL IN ALPHABETICAL ORDER			
NILKAMAL		GODREJ	SLOTCO
CUSTOM BILT		CUSTOM BUILT	CUSTOM BUILT


ITEM NO : FS-05				VEG STORE ROOM SHELVING			
QUANTITY: 13				<p style="text-align: center;">Tentative Image</p>			
CUSTOM BUILT.							
SIZE							
Width: (9) 2390 CC mm (4) 1400 mm		Depth: 1000 mm					
CAPACITY							
M.E.P REQUIREMENT				SPECIFICATIONS			
PLUMBING :				<ul style="list-style-type: none"> Two (2) nos. shelves. First shelf at 1200 A.F.F. & second at 2000 A.F.F. 			
Cold	∅	NA					
Hot	∅	NA					
Waste	∅	NA					
ELECTRIC :							
Power	NA						
Voltage	NA						
EXHAUST							
NA							
GAS:							
BTU	NA						
Con.	∅	NA	mm				
ACCESSORIES:							
SPECIAL NOTE:							
PREFERRED MAKE AND MODEL IN ALPHABETICAL ORDER							
NILKAMAL				GODREJ		SLOTCO	
CUSTOM BILT				CUSTOM BUILT		CUSTOM BUILT	


ITEM NO. : FS-08			GENERAL STORE ROOM SHELVING		
QUANTITY: 59					
SIZE					
Width: (42) 1220 mm (17) 900 mm	Depth: 600 mm	Height 1830 mm			
M.E.P REQUIREMENT			SPECIFICATIONS		
PLUMBING :			<ul style="list-style-type: none"> For construction detail refer standard shop drawing no. :- HPG/FD/63. Five # 18 Ga. S.S. Shelves. All sides marine edges. S.S. hat type reinforcement 38mm x 38mm x # 16 Ga. S. S. square pipe uprights on SS adjustable bullet feet. S.S. shelves welded to S.S. square pipe uprights. 		
Cold	NA				
Hot	NA				
Waste	NA				
ELECTRIC :					
Power	NA				
Voltage	NA				
EXHAUST					
GAS:					
BTU	NA				
Con.	NA				
ACCESSORIES:					
SPECIAL NOTE:			All Sheet /Pipe S.S. 304 Grade Pre-polished Plastic Coated.		


ITEM NO. : FS-09			TEA STORE ROOM SHELVING		
QUANTITY: 23					
SIZE OF					
Width: 1220 mm	Depth: 600 mm	Height 1830 mm			
M.E.P REQUIREMENT			SPECIFICATIONS		
PLUMBING :			<ul style="list-style-type: none"> For construction detail refer standard shop drawing no. :- HPG/FD/63. Five # 18 Ga. S.S. Shelves. All sides marine edges. S.S. hat type reinforcement 38mm x 38mm x # 16 Ga. S. S. square pipe uprights on SS adjustable bullet feet. S.S. shelves welded to S.S. square pipe uprights. 		
Cold		NA			
Hot		NA			
Waste		NA			
ELECTRIC :					
Power		NA			
Voltage		NA			
EXHAUST					
GAS:					
BTU		NA			
Con.		NA			
ACCESSORIES:					
SPECIAL NOTE:			All Sheet /Pipe S.S. 304 Grade Pre-polished Plastic Coated.		

ITEM NO : FS-10				DAL STORE ROOM SHELVING			
QUANTITY: 30				<p style="text-align: center;">Tentative Image</p>			
CUSTOM BUILT.							
SIZE							
Width: (26) 2390 CC mm (4) 1400 mm	Depth: 600 mm	Height: 1900					
CAPACITY							
M.E.P REQUIREMENT				SPECIFICATIONS			
PLUMBING :				<ul style="list-style-type: none"> Two (2) nos. shelves. First shelf at 1200 A.F.F. & second at 2000 A.F.F. 			
Cold	Ø	NA					
Hot	Ø	NA					
Waste	Ø	NA					
ELECTRIC :							
Power	NA						
Voltage	NA						
EXHAUST							
NA							
GAS:							
BTU	NA						
Con.	Ø	NA	mm				
ACCESSORIES:							
SPECIAL NOTE:							
PREFERRED MAKE AND MODEL IN ALPHABETICAL ORDER							
NILKAMAL				GODREJ		SLOTCO	
CUSTOM BILT				CUSTOM BUILT		CUSTOM BUILT	

ITEM NO. : FS-11			MILK STORE ROOM SHELVING		
QUANTITY: 35					
SIZE OF					
Width: (32) 1200 mm (2) 900 mm (1) 750 mm	Depth: 600 mm	Height 1830 mm			
M.E.P REQUIREMENT			SPECIFICATIONS		
PLUMBING :			<ul style="list-style-type: none"> For construction detail refer standard shop drawing no. :- HPG/FD/63. Five # 18 Ga. S.S. Shelves. All sides marine edges. S.S. hat type reinforcement 38mm x 38mm x # 16 Ga. S. S. square pipe uprights on SS adjustable bullet feet. S.S. shelves welded to S.S. square pipe uprights. 		
Cold		NA			
Hot		NA			
Waste		NA			
ELECTRIC :					
Power		NA			
Voltage		NA			
EXHAUST					
GAS:					
BTU		NA			
Con.		NA			
ACCESSORIES:					
SPECIAL NOTE:			All Sheet /Pipe S.S. 304 Grade Pre-polished Plastic Coated.		

ITEM NO : FS-14				GHEE & OIL STORE ROOM SHELVING			
QUANTITY:39				<p style="text-align: center;">Tentative Image</p> 			
CUSTOM BUILT.							
SIZE							
Width: (32) 2390 CC mm (7) 1400 mm	Depth: 600 mm	Height: 1900					
CAPACITY							
M.E.P REQUIREMENT				SPECIFICATIONS			
PLUMBING :				<ul style="list-style-type: none"> Two (2) nos. shelves. First shelf at 1200 A.F.F. & second at 2000 A.F.F. 			
Cold	Ø	NA					
Hot	Ø	NA					
Waste	Ø	NA					
ELECTRIC :							
Power	NA						
Voltage	NA						
EXHAUST							
NA							
GAS:							
BTU	NA						
Con.	Ø	NA	mm				
ACCESSORIES:							
SPECIAL NOTE:							
PREFERRED MAKE AND MODEL IN ALPHABETICAL ORDER							
NILKAMAL		GODREJ		SLOTCO			
CUSTOM BILT		CUSTOM BUILT		CUSTOM BUILT			

ITEM NO. : K-31			DAY STORE ROOM SHELVING		
QUANTITY: 10					
SIZE					
Width: (1) 1350 mm (9) 1050 mm	Depth: 600 mm	Height 1830 mm			
M.E.P REQUIREMENT			SPECIFICATIONS		
PLUMBING :			<ul style="list-style-type: none"> For construction detail refer standard shop drawing no. :- HPG/FD/63. Five # 18 Ga. S.S. Shelves. All sides marine edges. S.S. hat type reinforcement 38mm x 38mm x # 16 Ga. S. S. square pipe uprights on SS adjustable bullet feet. S.S. shelves welded to S.S. square pipe uprights. 		
Cold		NA			
Hot		NA			
Waste		NA			
ELECTRIC :					
Power		NA			
Voltage		NA			
EXHAUST					
GAS:					
BTU		NA			
Con.		NA			
ACCESSORIES:					
SPECIAL NOTE:			All Sheet /Pipe S.S. 304 Grade Pre-polished Plastic Coated.		

ITEM NO. : K-37 / CK-19			REFER OR FREEZER SHELVING		
QUANTITY: AS PER BOQ					
SIZE OF					
Width AS PER BOQ	Depth 530 mm	Height 1830 mm			
M.E.P REQUIREMENT			SPECIFICATIONS		
PLUMBING :			<ul style="list-style-type: none"> • Robust epoxy coated steel frames and posts. Polymer mats can be easily removed and cleaned in a sink or dish machine. • Microban antimicrobial product protection is built into the high contact areas of the shelf including the mats, frames, and posts to protect the product • 1" shelf adjustability maximizes space efficiency. • Weight Capacity holds up to 800 lbs. per shelf - 2000 lbs. per stationary unit • Promotes safety by eliminating moisture • NSF Component. 		
Cold		NA			
Hot		NA			
Waste		NA			
ELECTRIC :					
Power		NA			
Voltage		NA			
EXHAUST					
GAS:					
BTU		NA			
Con.		NA			
ACCESSORIES:			Unit installed with all Standard Accessories.		
SPECIAL NOTE:					
To be co ordinate with Cold room Site Dimensions. The sizes and number can verify as per the final drawing of the Cold Room.					
PREFERRED MAKE AND MODEL IN ALPHABETICAL ORDER					
CAMBRO			METRO		
ELEMENT SERIES			METRO MAX Q		

