

# **SHIROMANI GURDWARA PARBANDHAK COMMITTEE**

Teja Singh Samundari Hall, Sri Amritsar

## **Tender Notice For Desi Ghee And Milk Powder WMP/ SMP**

Shiromani Gurdwara Parbandhak Committee, Sri Amritsar invites sealed paper tenders for the Supply of **Desi Ghee** ( which should qualify under **Agmark and FSSAI Standards** as applicable) & **Milk Powder (WMP & SMP)** which should qualify under **BIS standards and FSSAI Standards** from 1<sup>st</sup> Oct 2016 to 31<sup>st</sup> March 2017. The supply should be made F.O.R (Will Provide Tax Exemption Certificate) basis at the following places :

1. Sri Harmandir Sahib (Golden Temple), Sri Amritsar, Punjab
2. Takht Sri Kesgarh Sahib, Sri Anandpur Sahib, Ropar, Punjab
3. Takht Sri Damdama Sahib, Talwandi Sabo, Bathinda, Punjab

<b><u>Sr. No.</u></b>	<b><u>Name of Item</u></b>	<b><u>Earnest Cost</u></b>
1.	Purchase of Desi Ghee (Agmark/Fssai), 8000-8500 qtls	It will be Rs. 20,00,000/- deposited with the submission of bid.
2.	Purchase of Milk Powder (WMP & SMP) (Agmark/Fssai), 2000 qtls	It will be Rs. 20,00,000/- deposited with the submission of bid.
3.	Date, Time & Place of opening of Tender	9 <sup>TH</sup> Sep 2016 12:00 PM at Adm. Block, SGPC Office, Amritsar-143001, Punjab

**Note: Bidder to furnish the following documents/ details alongwith the Paper tender:**

1. Audited **Balance Sheets and Income Tax Returns** for the last 3 years.
2. Details of **Production Capacity** for each item.
3. Audited figures of **Quantity produced and sold** for the last 3 years.
4. All the Rates **should be furnished on per kg basis** for each item.

### **CONDITIONS:**

1. Earnest Money shall be furnished only in the shape of Bank Draft in favor of Secretary, S.G.P.C, payable at Amritsar.

**SPECIFICATIONS/ PARAMETERS OF DESI GHEE**

Sr. No.	Parameters	Required Value
1.	Baudouin Test	Negative
2.	Butyro-refractometer Reading at 40° C	40.0 – 43.0
3.	Reichert Meissl Value	28 Min
4.	Polenske Value	1.0 – 2.0
5.	Moisture Content	0.3 % Max
6.	Free Fatty Acid	1.4 Max

**SPECIFICATIONS/ PARAMETERS OF WMP/ SMP**

Sr. No.	Parameters	Required Value (WMP)	Required Value (SMP)
1.	Moisture	4.0 % Max	5.0 % Max
2.	Milk Fat	26.0% Min	1.5 % mm Max
3.	Protein	34.0% Min	34 % mm Min
4.	Titration Acidity	0.15% Max	18.0 Max
5.	Total Ash	7.30% max	8.2 % Max
6.	Califorms	Absent in 0.1 Gm	..

**All rights of accepting, rejecting or cancelling of tenders resides with the tender committee.**

**Any decision made by the Tender Committee will be final and enforced as such.**

**For Any Further Clarification Feel Free To Contact**

**Mr.Harpal Singh (+91 9478446817)**

**Mr.Satnam Singh(+91 9781992401)**

**Mr. Shivraj Singh (+91 9781381399)**

**Secretary**  
Shiromani Gurdwara Parbandhak Committee  
Sri Amritsar