PART - II

FINANCIAL BID

ITEM RATE TENDER

FOR

SUPPLY OF ROOM FURNITURE & FURNISHING OF SARAGARHI SARAI

AT

SRI AMRITSAR

DECEMBER 2015

| N/- | Supply Installation of Furniture for Saragarhi Sarai | | | | | |
|-------|---|----------|-------|------|--------|--|
| . No. | Item | Quantity | Units | Rate | Amount | |
| 1) | Supply installation of pre fabricated hotel furniture manufactured out of wooden plywood of archid/greenply/ century make. The work shall be done as per the | | | | | |
| | drawings attached. The materials to be used shall be as pecified in the drgs and as | | | | | |
| | mentioned here. The entire furniture shall be made of plywood of greenply/ century/ archid make BWR grade phenol bonded, No MDF shall be used in the entire furniture. | | | | | |
| | all the visible areas of the furniture shall be finished in veneer / laminate as mentioned below duly polished in the finish as mentioned. the under structure as mentioned in | | | | | |
| | steel shall be made of stainless steel in desired finish or as per detailed drgs. The | | | | | |
| | hardware /rails etc for drawers etc shall be of Blum/ Hettich/ Hafelle. All furniture pieces shall have rubber gaskets as required. rates quoted shall be inclusive of all | | | | | |
| | hardware required & fixing at site complete in all respects. Please note that in case of | | | | | |
| | any deviation in the sizing of drgs & BOQ the the drgs shall supersede the BOQ item & payments shall be made item wise as per drgs. | | | | | |
| | Surface Finish- Light Oak/Ash natural Veneer (option 1) | | | | | |
| | Polish- 50% open grain matt melamine polish Items to be supplied | | | | | |
| a) | Bedbase of 1800x2000mm in plywood & natural wood with nylon glides with sides finished same as other surface finish mentioned above including Headboard of 2800x1500x50 mm or as per drgs with PU padded upholstery in the middle equivalent | 1 | Nos | | | |
| | to the width of the bed. | | | | | |
| b) | Bed side tables of 450x450 mm with height of 550 mm or as per drgs with drawers on rails with SS finish legs below as per detailed drgs. | 2 | Nos | | | |
| c) | Sofa cum Day bed of 1800 x890x 800 mm made of Solid wood and plywood frame. Polyurethane foam and elastic webbing straps on the frame or as per drgs. High | 1 | Nos | | | |
| | resilience Polyurethane 35Kg Density foam wrapped with goose down seat cushion. Fully goose down in divided sections to keep shape back cushion. Non-rusting | | | | | |
| d) | concealed Nylon zipper with Pillow fabric. Centre table for sofa cum day bed of size 650x350 mm with height of 550 mm or as | 1 | Nos | | | |
| | per drgs with wooden finish work top as per finish mentioned above with SS finish legs below as per detailed drgs. | | | | | |
| e) | Luggage rack of 900x450x750 mm or as per drgsmade of ply board in matching surface finish as mentioned above. All surface of wood to have protective aluminum strips. | 1 | Nos | | | |
| f) | TV panel of 1200 x 1500 x 20 mm mounted on wall for fixing of LED TV as per detailed drgs including the TV ledge of size 2400 x 250 x 50 mm or as per detailed drgs made of plywood and fixed to wall using invisible fixing system all sides finished same as mentioned above. | 1 | Nos | | | |
| g) | Study desk as per detailed drgs finished as mentioned above . | 1 | Nos | | | |
| h) | Fridge unit of 650x600 mm & height 950 or as per drgs finished as mentioned above . | 1 | Nos | | | |
| i) | Providing and fixing wooden finished pelmet in same finish as mentioned above of size 100 mm x 15mm or as per drgs along the full length of the room upto a maximum of 3000mm. The rates quoted are complete in all respects including fixing the the pelmet | 1 | Nos | | | |
| | with invisible fixing as required at site inclusive of cleats, screws etc . | | | | | |
| j) | Study table chair with Swivel base, Chromed steel base Dia60, Rubber wheels. Lift pump gas through gas UNI 9084/2002. 5 positions advanced tilting mechanism. Fire proof PU upholstery finish as per image attached. | 1 | Nos | | | |
| | | | | | | |
| k) | Providing and fixing individual pocket spring coil matteress of 1800x2000x200 mm | 1 | Nos | | | |
| | comprising of in the same order , knitting fabric(fire-proof),2.5cm 25density Wave foam, 30g nonwoven fabric, 1PCS white cotton pad, pocket spring 2.0mm 15CM, 1PCS white cotton pad, 30g nonwoven fabric, 2.5cm 25density Wave foam,knitting fabric(fire-proof). the matrees shall be finished in the same finish on bothsides & shall be usable on bothsides. | | | | | |
| 21 | | | | | | |
| 2) | Providing and fixing of LED electrical fixtures for full furnishing of rooms as per details mentioned below. The LED fixtures shall be of philips/ wipro/osram/GE/ La Diva/ Havells/ Reiz and shall carry a warranty of minimum 3 years. | | | | | |

| a. | recessed spotlight with double ring system as per image attached for installation in false ceiling inclusive of 6/7W LED of 6500 K | 6 | rate only | 0 |
|----|--|-----|-----------|---|
| b. | Bed light fixed type in stainless steel mirror finish with fabric finished lamp shade and 13 W 5000 K LED screw type lamp fixed on screw type holder cmplete in all respects | 2 | rate only | 0 |
| C. | Wall bracket light fixed type in chrome/ mirror finish with fabric finished lamp shade and 18 W 5000 K LED screw type lamp fixed on screw type holder complete in all respects | 3 | rate only | 0 |
| d. | Recessed downlighter with 18W 6500 K LED minimum 1200 lumens output | 2 | rate only | 0 |
| 3) | Providing and fixing curtains from floor to ceiling to cover and overlap windows of size 1800 mm width in 2 layers consisting of 1st layer of sheer curtains of tissue organza without pleats and second layer consisting of black out satin cloth with pleats including providing and fixing 2 nos i channels of aluminium as used in hospitals for smooth running of the curtains. The rates quoted shall be inclusive of fixing the channels with cleats etc as required , providing rollers @4"c/c , fixing and stitching of curtains as required by client and installing at site complete in all respects. | 1 | rate only | 0 |
| 4) | Providing and fixing 40inch LED tv of samsung/ LG/ Toshiba/ Panasonic/ Sony make inclusive of wall bracket and fixing at site complete. The TV shall be HD, with USB port, minimum contrast ratio 1200:1, screen resolution minimum 1366 X 768, Brightness 280 cd/m2, Dolby Digital Plus/Dolby Pulse, SRS Theatre Sound, DTS 2.0 + Digital out, Digital Noise Filter, Auto Power off, DVB - T/C, Analog Tuner, MPEG 5, Plug and Play, Music Mode, Hotel Channel test, Welcome Logo, Energy Saving Mode, Alarm Key, Multi Code Remote. The TV shall have a manufacturer warranty of 3 years. | 1 | rate only | 0 |
| | SUB-TOTAL COST OF 1 SET OF ROOM WITH ALL THE ABOVE MENTIONED ITEMS IN SUBHEAD 1 | 1 | set | |
| | TOTAL COST OF 238 SETS OF ROOMS | 238 | Nos. | |
| | SGPC reserves the right to delete any of the items mentioned above before placing of the order | | | |

| | Supply Installation of Furniture for Saragar | hi Sarai | | | |
|-------|---|----------|-------|------|--------|
| . No. | Item | Quantity | Units | Rate | Amount |
| 1) | Supply installation of pre fabricated hotel furniture manufactured out of wooden plywood of archid/greenply/ century make. The work shall be done as per the drawings attached. The materials to be used shall be as pecified in the drgs and as mentioned here. The entire furniture shall be made of plywood of greenply/ century/ archid make BWR grade phenol bonded, No MDF shall be used in the entire furniture. all the visible areas of the furniture shall be finished in veneer / laminate as mentioned below duly polished in the finish as mentioned. the under structure as mentioned in steel shall be made of stainless steel in desired finish or as per detailed drgs. The hardware /rails etc for drawers etc shall be of Blum/ Hettich/ Hafelle. All furniture pieces shall have rubber gaskets as required. rates quoted shall be inclusive of all hardware required & fixing at site complete | | | | |
| | in all respects. Please note that in case of any deviation in the sizing of drgs & BOQ the the drgs shall supersede the BOQ item & payments shall be made item wise as per drgs. Surface Finish- Dark black stained Oak/Ash natural Veneer and white painted | | | | |
| | melamine high gloss finish (option 2) | | | | |
| | Polish- 50% open grain matt melamine polish | | | | |
| | Items to be supplied | | | | |
| a) | Bedbase of 1800x2000mm in plywood & natural wood with nylon glides with sides finished same as other surface finish mentioned above including Headboard of 2800x1500x50 mm or as per drgs with PU padded upholstery in the middle equivalent to the width of the bed. | 1 | Nos | | |
| b) | Bed side tables of 450x450 mm with height of 550 mm or as per drgs with drawers on rails with SS finish legs below as per detailed drgs. | 2 | Nos | | |
| c) | Sofa cum Day bed of 1800 x890x 800 mm made of Solid wood and plywood frame. Polyurethane foam and elastic webbing straps on the frame or as per drgs. High resilience Polyurethane 35Kg Density foam wrapped with goose down seat cushion. Fully goose down in divided sections to keep shape back cushion. Non-rusting concealed Nylon zipper with Pillow fabric. | 1 | Nos | | |
| d) | Centre table for sofa cum day bed of size 650x350 mm with height of 550 mm or as per drgs with wooden finish work top as per finish mentioned above with SS finish legs below as per detailed drgs. | 1 | Nos | | |
| e) | Luggage rack of 900x450x750 mm or as per drgsmade of ply board in matching surface finish as mentioned above. All surface of wood to have protective aluminum strips. | 1 | Nos | | |
| f) | TV panel of $1200 \times 1500 \times 20$ mm mounted on wall for fixing of LED TV as per detailed drgs including the TV ledge of size $2400 \times 250 \times 50$ mm or as per detailed drgs made of plywood and fixed to wall using invisible fixing system all sides finished same as mentioned above. | 1 | Nos | | |
| g) | Study desk as per detailed drgs finished as mentioned above . | 1 | Nos | | |
| h) | Fridge unit of 650x600 mm & height 950 or as per drgs finished as mentioned above . | 1 | Nos | | |
| i) | Providing and fixing wooden finished pelmet in same finish as mentioned above of size 100 mm x 15mm or as per drgs along the full length of the room upto a maximum of 3000mm. The rates quoted are complete in all respects including fixing the the pelmet with invisible fixing as required at site inclusive of cleats, screws etc . | 1 | Nos | | |
| j) | Study table chair with Swivel base, Chromed steel base Dia60, Rubber wheels. Lift pump gas through gas UNI 9084/2002. 5 positions advanced tilting mechanism. Fire proof PU upholstery finish as per image attached. | 1 | Nos | | |
| k) | Providing and fixing individual pocket spring coil matteress of 1800x2000x200 mm comprising of in the same order, knitting fabric(fire-proof),2.5cm 25density Wave foam, 30g nonwoven fabric, 1PCS white cotton pad, pocket spring 2.0mm 15CM, 1PCS white cotton pad, 30g nonwoven fabric, 2.5cm 25density Wave foam,knitting fabric(fire-proof). the matrees shall be finished in the same finish on bothsides & shall be usable on bothsides. | 1 | Nos | | |
| 2) | Providing and fixing of LED electrical fixtures for full furnishing of rooms as per details mentioned below. The LED fixtures shall be of philips/ wipro/osram/GE/ La Diva/ Havells/ Reiz and shall carry a warranty of minimum 3 years. | | | | |

| a. | recessed spotlight with double ring system as per image attached for installation in false ceiling inclusive of 9/11W LED of 6500 K | 6 | rate | |
|----|--|-----|--------------|--|
| b. | Bed light fixed type in stainless steel mirror finish with fabric finished lamp shade and 13 W 5000 K LED screw type lamp fixed on screw type holder cmplete in all respects | 2 | rate only | |
| C. | Wall bracket light fixed type in chrome/ mirror finish with fabric finished lamp shade and 18 W 5000 K LED screw type lamp fixed on screw type holder complete in all respects | 3 | rate only | |
| d. | Recessed downlighter with 18W 6500 K LED minimum 1200 lumens output | 2 | rate only | |
| 3) | Providing and fixing curtains from floor to ceiling to cover and overlap windows of size 1800 mm width in 2 layers consisting of 1st layer of sheer curtains of tissue organza without pleats and second layer consisting of black out satin cloth with pleats including providing and fixing 2 nos i channels of aluminium as used in hospitals for smooth running of the curtains. The rates quoted shall be inclusive of fixing the channels with cleats etc as required , providing rollers @4"c/c , fixing and stitching of curtains as required by client and installing at site complete in all respects. | 1 | rate | |
| 4) | Providing and fixing 32inch LED tv of samsung/ LG/ Toshiba/ Panasonic/ Sony make inclusive of wall bracket and fixing at site complete. The TV shall be HD, with USB port, minimum contrast ratio 1200:1, screen resolution minimum 1366 X 768, Brightness 280 cd/m2, Dolby Digital Plus/Dolby Pulse, SRS Theatre Sound, DTS 2.0 + Digital out, Digital Noise Filter, Auto Power off, DVB - T/C, Analog Tuner, MPEG 5, Plug and Play, Music Mode, Hotel Channel test, Welcome Logo, Energy Saving Mode, Alarm Key, Multi Code Remote. The TV shall have a manufacturer warranty of 3 years. | 1 | rate | |
| | SUB-TOTAL COST OF 1 SET OF ROOM WITH ALL THE ABOVE MENTIONED ITEMS IN SUBHEAD 1 | 1 | set | |
| | TOTAL COST OF 238 SETS OF ROOMS | 238 | Nos. | |
| | SGPC reserves the right to delete any of the items mentioned above before placing of the order | | | |
| | | | | |

| | Supply Installation of Furniture for Saraga | rhi Sarai | | | |
|--------|---|-----------|-------------|-------------|--------|
| S. No. | Item | Quantity | Units | Rate | Amount |
| 1) | Supply installation of pre fabricated hotel furniture manufactured out of wooden plywood of archid/greenply/ century make. The work shall be done as per the drawings attached. The materials to be used shall be as pecified in the drgs and as mentioned here. The entire furniture shall be made of plywood of greenply/ century/ archid make BWR grade phenol bonded, No MDF shall be used in the entire furniture. all the visible areas of the furniture shall be finished in veneer / laminate as mentioned below duly polished in | | | | |
| | the finish as mentioned. the under structure as mentioned in steel shall be made of stainless steel in desired finish or as per detailed drgs. The hardware /rails etc for drawers etc shall be of Blum/ Hettich/ Hafelle. All furniture pieces shall have rubber gaskets as required. rates quoted shall be inclusive of all hardware required & fixing at site complete in all respects. Please note that in case of any deviation in the sizing of drgs & BOQ the | | | | |
| | the drgs shall supersede the BOQ item & payments shall be made item wise as per drgs. | | | | |
| | Surface Finish- Black textured crocodile/ leather finished laminate (option 3) | | | | |
| | Polish- original laminate finish in matt Items to be supplied | | | | |
| a) | Bedbase of 1800x2000mm in plywood & natural wood with nylon glides with sides finished same as other surface finish mentioned above including Headboard of 4200x1200x50 mm or as per drgs with PU padded upholstery in the middle equivalent to the width of the bed. | 1 | Nos | | |
| b) | Bed side tables of 450x450 mm with height of 550 mm or as per drgs with drawers on rails with SS finish legs below as per detailed drgs. | 2 | Nos | | |
| c) | Sofa chair of 890x 800 mm made of Solid wood and plywood frame. Polyurethane foam and elastic webbing straps on the frame or as per drgs. High resilience Polyurethane 35Kg Density foam wrapped with goose down seat cushion. Fully goose down in divided sections to keep shape back cushion. Non-rusting concealed Nylon zipper with Pillow fabric. | 1 | Nos | | |
| d) | Centre table for sofa of size 500 mm dia with height of 550 mm or as per drgs with wooden finish work top as per finish mentioned above with SS finish legs below as per detailed drgs. | 1 | Nos | | |
| e) | Luggage rack of 750x450x650 mm made of ply board in matching surface finish as mentioned above or as per drgs. All surface of wood to have protective aluminum strips. | 1 | Nos | | |
| f) | TV panel of 2920 x 800 x 150 mm mounted on wall for fixing of LED TV as per detailed drgs including the TV cabinet cum fridge unit of size 1000 x 550 x 650 mm or as per detailed drgs made of plywood and fixed to wall using invisible fixing system all sides finished same as mentioned above. | 1 | Nos | | |
| g) | Study desk of 1200x450x 750 mm as per detailed drgs finished as mentioned above . | 1 | Nos | | |
| h) | Providing and fixing wooden finished pelmet in same finish as mentioned above of size 100 mm x 15mm or as per drgs along the full length of the room upto a maximum of 3000mm. The rates quoted are complete in all respects including fixing the the pelmet with invisible fixing as required at site inclusive of cleats, screws etc . | 1 | Nos | | |
| i) | Study table chair with Swivel base, Chromed steel base Dia60, Rubber wheels. Lift pump gas through gas UNI 9084/2002. 5 positions advanced tilting mechanism. Fire proof PU upholstery finish as per image attached. | 1 | Nos | | |
| j) | Providing and fixing individual pocket spring coil matteress of 1800x2000x200 mm comprising of in the same order, knitting fabric(fire-proof),2.5cm 25density Wave foam, 30g nonwoven fabric, 1PCS white cotton pad, pocket spring 2.0mm 15CM, 1PCS white cotton pad, 30g nonwoven fabric, 2.5cm 25density Wave foam,knitting fabric(fire-proof). the matrees shall be finished in the same finish on bothsides & shall be usable on bothsides. | 1 | Nos | | |
| 2) | Providing and fixing of LED electrical fixtures for full furnishing of rooms as per details mentioned below. The LED fixtures shall be of philips/ wipro/osram/GE/ La Diva/ Havells/ Reiz and shall carry a warranty of minimum 3 years. | | Nos | | |

| S. No. | Item | Quantity | Units | Rate | Amount |
|--------|--|----------|-------------|------|--------|
| a. | recessed spotlight with double ring system as per image attached for installation in false ceiling inclusive of 6/7W LED of 6500 K | 6 | | | |
| b. | Bed light fixed type in stainless steel mirror finish with fabric finished lamp shade and 13 W 5000 K LED screw type lamp fixed on screw type holder cmplete in all respects | 2 | rate only | | |
| C. | Wall bracket light fixed type in chrome/ mirror finish with fabric finished lamp shade and 18 W 5000 K LED screw type lamp fixed on screw type holder complete in all respects | 3 | rate only | | |
| d. | Recessed downlighter with 18W 6500 K LED minimum 1200 lumens output | 2 | rate only | | |
| 3) | Providing and fixing curtains from floor to ceiling to cover and overlap windows of size 1800 mm width in 2 layers consisting of 1st layer of sheer curtains of tissue organza without pleats and second layer consisting of black out satin cloth with pleats including providing and fixing 2 nos i channels of aluminium as used in hospitals for smooth running of the curtains. The rates quoted shall be inclusive of fixing the channels with cleats etc as required , providing rollers @4"c/c , fixing and stitching of curtains as required by client and installing at site complete in all respects. | 1 | | | |
| 4) | Providing and fixing 32inch LED tv of samsung/ LG/ Toshiba/ Panasonic/ Sony make inclusive of wall bracket and fixing at site complete. The TV shall be HD, with USB port, minimum contrast ratio 1200:1, screen resolution minimum 1366 X 768, Brightness 280 cd/m2, Dolby Digital Plus/Dolby Pulse, SRS Theatre Sound, DTS 2.0 + Digital out, Digital Noise Filter, Auto Power off, DVB - T/C, Analog Tuner, MPEG 5, Plug and Play, Music Mode, Hotel Channel test, Welcome Logo, Energy Saving Mode, Alarm Key, Multi Code Remote. The TV shall have a manufacturer warranty of 3 years. | 1 | rate only | | |
| | | | rate only | | |
| | SUB-TOTAL COST OF 1 SET OF ROOM WITH ALL THE ABOVE MENTIONED ITEMS IN SUBHEAD 1 | 1 | cot | | |
| | TOTAL COST OF 238 SETS OF ROOMS | 238 | set Nos. | | |
| | SGPC reserves the right to delete any of the items mentioned above before placing of the order | | | | |

| | Supply Installation of Furniture for Saraga | | | | |
|-------|--|----------|-------|------|--------|
| . No. | ltem Control William Control W | Quantity | Units | Rate | Amount |
| 1) | Supply installation of pre fabricated hotel furniture manufactured out of wooden | | | | |
| | plywood of archid/greenply/ century make. The work shall be done as per the drawings | | | | |
| | attached. The materials to be used shall be as pecified in the drgs and as mentioned | | | | |
| | here. The entire furniture shall be made of plywood of greenply/ century/ archid make | | | | |
| | BWR grade phenol bonded, No MDF shall be used in the entire furniture. all the visible | | | | |
| | areas of the furniture shall be finished in veneer / laminate as mentioned below duly | | | | |
| | polished in the finish as mentioned. the under structure as mentioned in steel shall be | | | | |
| | made of stainless steel in desired finish or as per detailed drgs. The hardware /rails etc | | | | |
| | , · | | | | |
| | for drawers etc shall be of Blum/ Hettich/ Hafelle. All furniture pieces shall have | | | | |
| | rubber gaskets as required. rates quoted shall be inclusive of all hardware required & | | | | |
| | fixing at site complete in all respects. Please note that in case of any deviation in the | | | | |
| | sizing of drgs & BOQ the the drgs shall supersede the BOQ item & payments shall be | | | | |
| | made item wise as per drgs. | | | | |
| | | | | | |
| | Surface Finish- laminate in ebony finish & white high gloss paint (option 4) Polish- high gloss polyurethene finish polish over laminate | | | | |
| | Items to be supplied | | | | |
| a) | Bedbase of 1800x2000mm in plywood & natural wood with nylon glides with sides | 1 | Nos | | |
| | finished same as other surface finish mentioned above including Headboard of | | | | |
| | 2800x1500x50 mm or as per drgs with PU padded upholstery in the middle equivalent | | | | |
| | to the width of the bed. | | | | |
| b) | Bed side tables of 450x450 mm with height of 550 mm or as per drgs with drawers on | 2 | Nos | | |
| υJ | | 2 | INUS | | |
| | rails with SS finish legs below as per detailed drgs. | | | | |
| c) | Sofa cum Day bed of 2200 x890x 800 mm made of Solid wood and plywood frame. | 1 | Nos | | |
| | Polyurethane foam and elastic webbing straps on the frame or as per drgs. High | | | | |
| | resilience Polyurethane 35Kg Density foam wrapped with goose down seat cushion. | | | | |
| | Fully goose down in divided sections to keep shape back cushion. Non-rusting | | | | |
| | concealed Nylon zipper with Pillow fabric. | | | | |
| d) | Luggage rack of 900x450x750 mm or as per drgs made of ply board in matching surface | 1 | Nos | | |
| u, | finish as mentioned above. All surface of wood to have protective aluminum strips. | - | 1103 | | |
| | illish as mentioned above. An surface of wood to have protective aldifilially strips. | | | | |
| | | | | | |
| e) | TV panel of 1200 x 1500 x 20 mm mounted on wall for fixing of LED TV as per detailed | 1 | Nos | | |
| | drgs including the TV ledge of size 2400 x 250 x 50 mm or as per detailed drgs made of | | | | |
| | plywood and fixed to wall using invisible fixing system all sides finished same as | | | | |
| | mentioned above. | | | | |
| f) | Study desk of 1450 x 500x750 in ebony finished surface with drawers finished in high | 1 | Nos | | |
| '', | gloss white finish and fridge unit placed below on side as per detailed drgs finished as | _ | 1403 | | |
| | | | | | |
| , | mentioned above . | | | | |
| g) | Providing and fixing wooden finished pelmet in same finish as mentioned above of size | 1 | Nos | | |
| | 100 mm x 15mm or as per drgs along the full length of the room upto a maximum of | | | | |
| | 3000mm. The rates quoted are complete in all respects including fixing the the pelmet | | | | |
| | with invisible fixing as required at site inclusive of cleats, screws etc . | | | | |
| | | | | | |
| h) | Study table chair with Swivel base, Chromed steel base Dia60, Rubber wheels. Lift | 1 | Nos | | |
| | pump gas through gas UNI 9084/2002. 5 positions advanced tilting mechanism. Fire | | | | |
| | proof PU upholstery finish as per image attached. | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | 1 | | |
| | | | | | |
| i) | Providing and fixing individual pocket spring coil matteress of 1800x2000x200 mm | 1 | Nos | | |
| | comprising of in the same order , knitting fabric(fire-proof),2.5cm 25density Wave | | | | |
| | foam, 30g nonwoven fabric, 1PCS white cotton pad, pocket spring 2.0mm 15CM, 1PCS | | | | |
| | white cotton pad, 30g nonwoven fabric, 2.5cm 25density Wave foam,knitting fabric(fire- | | | | |
| | | | | | |
| | proof). the matrees shall be finished in the same finish on bothsides & shall be usable | | | | |
| | on bothsides. | | Nac | | |
| 2) | Providing and fiving of LED electrical fivtures for full furnishing of rooms as not details | | Nos | | |
| 2) | Providing and fixing of LED electrical fixtures for full furnishing of rooms as per details | | Nos | | |
| | mentioned below. The LED fixtures shall be of philips/ wipro/osram/GE/ La Diva/ | | | | |
| | Havells/ Reiz and shall carry a warranty of minimum 3 years. | | | | |
| а | recessed spotlight with double ring system as per image attached for installation in | 6 | | | |
| a. | false ceiling inclusive of 6/7W LED of 6500 K | Ū | | | |
| | Taise centing inclusive of 0/ / W LED of 0300 K | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

| S. No. | Item | Quantity | Units | Rate | Amount |
|--------|--|----------|-----------|------|--------|
| b. | Bed light fixed type in stainless steel mirror finish with fabric finished lamp shade and 13 W 5000 K LED screw type lamp fixed on screw type holder cmplete in all respects | 2 | | | |
| C. | Wall bracket light fixed type in chrome/ mirror finish with fabric finished lamp shade and 18 W 5000 K LED screw type lamp fixed on screw type holder complete in all respects | 3 | rate only | | |
| d. | Recessed downlighter with 18W 6500 K LED minimum 1200 lumens output | 2 | rate only | | |
| 3) | Providing and fixing curtains from floor to ceiling to cover and overlap windows of size 1800 mm width in 2 layers consisting of 1st layer of sheer curtains of tissue organza without pleats and second layer consisting of black out satin cloth with pleats including providing and fixing 2 nos i channels of aluminium as used in hospitals for smooth running of the curtains. The rates quoted shall be inclusive of fixing the channels with cleats etc as required , providing rollers @4"c/c , fixing and stitching of curtains as required by client and installing at site complete in all respects. | 1 | rate only | | |
| 4) | Providing and fixing 32inch LED tv of samsung/ LG/ Toshiba/ Panasonic/ Sony make inclusive of wall bracket and fixing at site complete. The TV shall be HD, with USB port, minimum contrast ratio 1200:1, screen resolution minimum 1366 X 768, Brightness 280 cd/m2, Dolby Digital Plus/Dolby Pulse, SRS Theatre Sound, DTS 2.0 + Digital out, Digital Noise Filter, Auto Power off, DVB - T/C, Analog Tuner, MPEG 5, Plug and Play, Music Mode, Hotel Channel test, Welcome Logo, Energy Saving Mode, Alarm Key, Multi Code Remote. The TV shall have a manufacturer warranty of 3 years. | 1 | rate only | | |
| | SUB-TOTAL COST OF 1 SET OF ROOM WITH ALL THE ABOVE MENTIONED ITEMS IN SUBHEAD 1 | 1 | rate only | | |
| | TOTAL COST OF 238 SETS OF ROOMS | 238 | set | | |
| | SGPC reserves the right to delete any of the items mentioned above before placing of the order | | | | |

| Supply installation of Furniture for Saragarhi Sarai Item and the provision of the provision of pre fabricated hoster furniture manufactured out of wooden phywood of archid/greenply/ century make. The work shall be done as per the drawings attached. The materials to be used shall be as pecified in the drgs and as mentioned here. The entire furniture shall be finished in venere/ Janimate as mentioned below duty polished in the finish as mentioned, No MDF shall be used in the entire furniture. all the visible areas of the furniture shall be finished in venere/ Janimate as mentioned below duty polished in the finish as mentioned. No MDF shall be used in the entire furniture. all the visible areas of the furniture shall be finished in venere/ Janimate as mentioned below duty polished in the finish as mentioned. The understanding the made of standings steel in desired finish or as per detailed drgs. The hardware required & fixing at site complete in all respects. Please note that in case of any deviation in the string of drgs & NOC the the drgs shall supersede the BOQ Item & payments shall be made litem wise as per drgs. Surface Finish- Light Oal/Ash/Cherry natural Veneer in cherry stain (option 5) Polish- 100% closed grain polish in semi gloses satin melamine finish items to be supplied all Bedbase of 1800x2000mm in plywood & natural wood with nylon glides with sides in the width of the bed. b) Bed side tables of 450x450mm with height of 550 mm or as per drgs. High resilience Polyvrethane Goam and elastic webbing straps on the frame or as per drgs. High resilience Polyvrethane Soam and elastic webbing straps on the frame or as per drgs. High resilience Polyvrethane Goam and elastic webbing straps on the frame or as per drgs. High resilience Polyvrethane Goam and elastic webbing straps on the frame or as per drgs. High resilience Polyvrethane Goam and elastic webbing straps on the frame or as per drgs. High resilience Polyvrethane Goam and elastic webbing straps on the frame or as per drgs. High resilience Polyv | s Rate Amount | Units | | Item |
|--|---------------|-----------|---|---|
| phywood of archidygreenphy (century make. The work shall be done as per the drawings attached. The materials to be used shall be as pecified in the drgs and as mentioned here. The entire furniture shall be made of phywood of greenphy/ century/ archid make BWR grade phenol bonded, No MDF shall be used in the entire furniture. all the visible areas of the furniture shall be finished in veneer / laminate as mentioned below duly polished in the finish as mentioned. the under structure as mentioned in steel shall be made of stainless steel in desired finish or as per detailled drgs. The hardware / rails er for of arwess et schall be of Blum/ Hettich / Hafelle. All furniture picces shall have ruibber gaskets as required. artes quoted shall be inclusive of all hardware required & finish art as steel and the properties of any deviation in the sizing of drgs. & BOQ the the drgs shall supersede the BOQ item & payments shall be made item wise as per drgs. Surface Finish- Light Oad/Ash/Cherry natural Veneer in cherry stain (option 5) Polish- 100% Good grain polish in semi gloss satin melamine finish Etems to be supplied a) Bedsase of 1800x2000mm in phywood & natural wood with rylon gildes with sides finished same as other surface finish mentioned above including leadoboard of galoxidosidos of mor or as per drgs. with Pul padded upholstery in the middle equivalent to the width of the bed. b) Bed side tables of 450x450 mm with height of 550 mm or as per drgs with drawers on rais with 55 finish legs below as per detailed drgs. c) Sofa cum Day bed of 2200 x890x 800 mm made of Solid wood and phywood frame. Polyurethane 53x6 bents as the stail of the second of the polyure shall be solid as a second of the polyure shall be solid bent as a second of the polyure shall be solid bent as the second of the polyure shall be solid bent as the second of the polyure shall be solid bent as the second of the polyure shall be solid bent as the second of the polyure shall be solid bent as the second of the polyure shall be solid bent as | | | | Supply installation of pre fabricated hotel furniture manufactured out of wooden |
| drawings attached. The materials to be used shall be as pecified in the drgs and as mentioned here. The entire furniture shall be made of plywood of greenply/ century/ archid make BWR grade phenol bonded, No MDF shall be used in the entire furniture. All the visible crase of the furniture shall be finished in vener of Jaminate as mentioned below duly polished in the finish as mentioned. The under structure as mentioned in steel shall be made of stainess steel in desirable dinsh or a sper detailed drgs. The hardware /rails et for drawers etc. shall be of Blum/ Hettlot/ Hafelle. All furniture pieces shall he ver they agostes as required finish or as per detailed drgs. The hardware required & fixing at site complete in all respects. Please note that in case of any deviation in the sizing of drgs. & BOQ the the drgs shall supersed the BOQ item & payments shall be made item wise as per drgs. Surface Finish- Light Oak/Jah/Cherry natural Veneer in cherry stain (option 5) Polish- 100% closed grain polish in semi gloss statin melamine finish items to be supplied a) Bedbase of 1800/2000mm in plywood & natural wood with nylon glides with sides finished same as other surface finish mentioned above including Headboard of 2800x1500x50 mm or as per drgs with Pul padded uphotslery in the middle equivalent to the width of the bed. b) Bed side tables of 450x450 mm with height of 550 mm or as per drgs with drawers on a rais with S5 finish legs below as per detailed drgs. c) Sofa cum Day bed of 2200 x890x 800 mm made of Solid wood and plywood frame. Polyverthane 25kg Density foam wrapped with goose down seat cushion. Fully goose down in divided sections to keep shape back usinion. Non-rusting concealed Nylon apper with Pillow fabric. d) Centre table for sofa cum day bed of size 650x350 mm with height of 550 mm or as per drgs with wooden finish work top as per finish mentioned above with S5 finish legs below as per detailed drg. Solid was per detailed drg. Solid solid plant of the proposed of the solid plant of the proposed p | | | | Supply installation of pre labilitated floter furniture manufactured out of wooden |
| drawings attached. The materials to be used shall be as pecified in the dras and as mentioned here. The entire furniture shall be misible areas of the furniture shall be disible di nevener / Jaminate as mentioned below duly polished in the finish as mentioned, the under structure as mentioned in steel shall be made of stainises steel in desired finish or as per detailed drgs. The hardware /rails ect for drawers et shall be of Blum/ Hettlick/ Hafelle. All furniture pieces shall have rubber gaskets as required a trates quoted shall be inclusive of all hardware required. Shall be made the drgs shall supersede the BOQ item & payments shall be made term wise as per drgs. Surface Finish- Light Osk/Ash/Cherry natural Veneer in cherry stain (option 5) Polish- 100% closed grain polish in semi gloss satin melamine finish letters to be supplied a) Bedbase of 1800x2000mm in plywood & natural wood with nylon glides with sides finished same as other surface finish melinored above including Headboard of 2800x1500x30 mm or as per drgs with PU padded upholstery in the middle equivalent to be width of the bed. b) Bed side tables of \$50x450 mm with height of \$50 mm or as per drgs with drawers on rails with \$5 finish legs below as per detailed drgs. c) Sofa cum Day bed of 2200x 4890x 800 mm made of Soild wood and plywood frame. Polyurethane 53kg Density foam wrapped with goose down sed cushion. Fully goose down in divided sections to keep shape back dustino. Non-rusting conceiled Mylon zipper with Pillow fabric. d) Centre table for sofa cum day bed of size 650x350 mm with height of \$50 mm or as per drgs with wooden finish work top as per finish mentioned above with \$5 finish legs below as per detailed drg. Soil with wooden finish work top as per finish mentioned above with soil mentioned above. g) Study table chair with \$200x \$20 mm mounted on wall for fixing of LED TV as per detailed drgs made of plywood | | | | plywood of archid/greenply/ century make. The work shall be done as per the |
| mentioned here. The entire furniture shall be made of plywood of greenply/ century/ archid make BWR grade phenol bonded, No MDF shall be used in the entire furniture. all the visible areas of the furniture shall be finished in veneer / laminate as mentioned below duty posithed in the finish as mentioned in steel shall be made of stainless steel in desired finish or as per detailed drgs. The hardware /rails etc for drawner ate shall be of Blum/ Hetitch/ Hafelle. All furniture pieces shall have rubber gaskets as required. nates quoted shall be inclusive of all hardware required & finish as set incomplete in all respects. Please note that in case of any deviation in the sizing of drigs. & Dot I the drigs shall be understood that in case of any deviation in the sizing of drigs. & Dot I the drigs shall supersed the &OQ Item & payments shall be made Item wise as per drgs. Surface Finish- Light Oak/Ash/Cherry natural Veneer in cherry stain (option 5) Polish- 100% closed grain polish in semi gloss satin melanine finish Items to be supplied a) Bedbase of 1800x2000mm in plywood & natural wood with nylon glides with sides finished same as other surface finish mentioned above including Headboard of 2800x150x00 mm or as per drgs with Pl Joseph of 200x 100x00 mm or as per drgs with Videous or an advanced to the width of the bed. b) Bed side tables of 450x450 mm with height of 550 mm or as per drgs with drawers on rais with \$5 finish legs below as per detailed drgs. c) Sofa cum Day bed of 200x 9800 800 mm and of Solid wood and plywood frame. Polyurethane foam and elastic webbing straps on the frame or as per drgs. High resilience Polyurethane 380x Boens with provided the provided provided and polyurethane foam and elastic webbing straps on the frame or as per drgs. High resilience Polyurethane 380x Boens with provided provide | | | | |
| archid make BWR grade phenol bonded, No MDF shall be used in the entire furniture. all the visible areas of the furniture shall be finished in xemer // Jaminate as mentioned below duly polished in the finish as mentioned, the under structure as mentioned in steel shall be made of stainless steel in desired finish or as per detailed drgs. The hardware /rails etc. for drawers etc. shall be of Blum/ Hettick/ Hafelle. All furniture pieces shall have nubber gaskets as required. Acts quoted shall be inclusive of all hardware required & fining at the complete in all respects. Please note that in case of any deviation in the string of drigs. 8 MOL the the drigs shall supersede the BOQ Item & payments shall be made item wise as per drigs. Surface Finish- Light Oak/Ash/Cherry natural Veneer in cherry stain (option 5) Polish- 100% closed grain polish in semi gloss satin melamine finish tens to be supplied a) Bedbase of 1800x2000mm in plywood & natural wood with nylon glides with sides finished same as other surface finish mentioned above including Headboard of 2800x1500x50 mm or as per drigs with PU padded upholstery in the middle equivalent to the width of the bed. b) Bed side tables of 850x450 mm with height of 550 mm or as per drigs with drawers on rails with 55 finish legs blood was per detailed drigs. c) Sofa cum Day bed of 2200 x890x 800 mm made of Solid wood and plywood frame. Polyurethane Solx genety from wrapped with goose down seat custion. Fully goose down in divided sections to keep shape back custion. Non-ructing concelled Mylon zipper with Pillow fabric. c) Usegae reak of 900x450x50 mm with height of 550 mm or as per drigs. High resilience Polyurethane 35x gloss pensity from wrapped with goose down seat custion. Fully goose down in divided sections to keep shape back custion. Non-ructing concelled Mylon zipper with wooden finish work top as per finish mentioned above with S5 finish legs below as per detailed drgs. e) Lugage rack of 900x450x750 mm or as per drgs finished as mentioned above of site of | | | | |
| all the visible areas of the furniture shall be finished in veneer / laminate as mentioned below duty posithed in the finish as mentioned. the under structure as mentioned in steel shall be made of stainless steel in desired finish or as per detailed drgs. The hardware /rails etc for drawers etc shall be of Blum/ Hettich/ Hafelle. All furniture piece shall have nubber gashets as required, rates quoted shall be inclusive of all hardware required & fixing at site complete in all respects. Please note that in case of any deviation in the sizing of drgs & BOOL the the drgs shall be inclusive of all hardware required & fixing at site complete in all respects. Please note that in case of any deviation in the sizing of drgs & BOOL the the drgs shall supersed the BOOL item & payments shall be made Item wise as sper drgs. Surface Finish- Ught Oak/Ash/Cherry natural Veneer in cherry stain (option 5) Polish- 100% closed grain polish in semi gloss satin melanine finish Items to be supplied I polish- 100% closed grain polish in semi gloss satin melanine finish Items to be supplied I polish- 100% closed grain polish in semi gloss satin melanine finish Items to be supplied I polish- 100% closed grain polish in semi gloss satin melanine finish Items to be supplied I polish- 100% closed grain polish in semi gloss satin melanine finish I tems to be supplied I polish- 100% closed grain polish in semi gloss satin melanine finish I tems to be supplied I polish- 100% closed grain polish in semi gloss satin melanine finish I tems to be supplied I polish- 100% closed grain polish in semi gloss satin melanine finish I tems to be supplied I polish- 100% closed grain polish in semi gloss satin melanine finish I tems to be supplied I polish- 100% closed grain polish in semi gloss satin melanine finish I polish- 100% closed grain polish- 10 | | | | |
| below duly polished in the finish as mentioned. The under structure as mentioned in steel shall be made of stainless steel in desired finish or as per drailled drgs. The hardware /rails etc for drawers etc shall be of Blum/ Hettich/ Hafelle. All furniture pieces shall have rubber gaskets as required. The structure are squoted shall be inclusive of all hardware required & fixing at site complete in all respects. Please note that in case of any deviation in the string of drgs. & BOQ the the drgs shall supersede the BOQ Item & payments shall be made term wise as per drgs. Surface Finish- Light Oak/Ash/Cherry natural Veneer in cherry stain (option 5) Polish- 100% closed grain polish in semi gloss satin melamine finish Items to be supplied Bedbase of 1800/2000mm in plywood & natural wood with nylon gildes with sides finished same as other surface finish mentioned above including Headboard of 2800x1500x50 mm or as per drgs with PU padded upholstery in the middle equivalent to the width of the bed. b) Bed side tables of 450x450 mm with height of 550 mm or as per drgs with drawers on rails with 55 finish legs below as per detailed drgs. c) Safa cum Day bed of 2200 x890x 800 mm made of Solid wood and plywood frame. Polyurethane foam and elastic webbing straps on the frame or as per drgs. High resilience Polyurethane 35kg Density foam wrapped with goose down seat cushion. Fully goose down in divided sections to keep shape back cushion. Non-rusting concealed Whon zipper with Hillow fabric. d) Centre table for sofa cum day bed of size 650x350 mm with height of 550 mm or as per drgs with wooden finish work top as per finish mentioned above with 55 finish legs below as per detailed drgs. e) Lugage rack of 900x450x750 mm or as per drgsmade of ply board in matching surface finish as mentioned above. All surface of wood to have protective aluminum strips. f) Ty panel of 1200 x 1500 x 20 mm mounted on wall for fixing of LED TV as per detailed drgs. Made of plywood and fixed to wall wising invisible fixing system all side | | | | |
| steel shall be made of stainless steel in desired finish or as per detailed drgs. The hardware refuls et for for dewers etc shall be of Blum/ Hertitof, Hafelle. All furniture pieces shall have rubber gaskets as required. rates quoted shall be inclusive of all hardware required & fixing at site complete in all respects. Please note that in case of any deviation in the siring of drgs. & BOQ the the drgs shall supersede the BOQ item & payments shall be made item wise as per drgs. Surface Finish- Light Oak/Ash/Cherry natural Veneer in cherry stain (potion 5) Polish- 100% closed grain polish in semi gloss satin melamine finish Items to be supplied Bedbase of 1800x2000mm in plywood & natural wood with nylon glides with sides finished same as other surface finish mentioned above including Headboard of 2800x150x050 mm or as per drgs with PU padded upholstery in the middle equivalent to the width of the bed. Display bed side tablose of 450x450 mm with height of 550 mm or as per drgs with drawers on nails with SS finish legs below as per detailed drgs. C) Sofa cum Day bed of 2200x850x850 mm with begind of and and plywood frame. Polyurethane Gram and elastic webbing straps on the frame or as per drgs. High resilience Polyurethane 25% Density foam wrapped with goose down seat cushion. Fully goose down in divided sections to keep shape back cushion. Non-rusting concealed Nylon zipper with Pillow fabric. d) Centre table for sofa cum day bed of size 650x350 mm with height of 550 mm or as per drgs with wooden finish work top as per finish mentioned above with SS finish legs below as per detailed drgs. e) Luggage rack of 900x450x750 mm or as per drgsmade of ply board in matching surface finish as mentioned above. All surface of wood to have protective aluminum strips. T) V panel of 1200 x 1500 x 20 mm mounted on wall for fixing of LED TV as per detailed drgs made of plywood and fixed to wall using invisible fixing system all sides finished same as mentioned above. In the part of the part of the part of the part of the | | | | all the visible areas of the furniture shall be finished in veneer / laminate as mentioned |
| hardware /rails etc for drawers etc shall be of Blum/ Hettich/ Hafelle. All furniture pieces shall have rubber gasets as required. Tares quoted shall be inclusive of all hardware required & fixing at site complete in all respects. Please note that in case of any deviation in the sizing of drgs. & BOQ the the drgs shall supersede the BOQ Item & payments shall be made item wise as per drgs. Surface Finish- Light Oak/Ash/Cherry natural Veneer in cherry stain (option 5) Polish- 100% closed grain polish in semi gloss satin melamine finish Items to be supplied a) Bedbase of 1800/2000mm in plywood & natural wood with nylon glides with sides finished same as other surface finish mentioned above including Headboard of 2800x1500x50 mm or as per drgs with PU padded upholstery in the middle equivalent to the width of the bed. b) Bed side tables of 450x450 mm with height of 550 mm or as per drgs with drawers on rails with 55 finish legs below as per detailed drgs. C) Sofa cum Day bed of 200x 850x 800 mm made of Solid wood and plywood frame. Polyurethane foam and elastic webbing straps on the frame or as per drgs. High resilience Polyurethane 35x 90x 90x 90x mm arapped with goose down seat cushion. Fully goose down in divided sections to keep shape back cushion. Non-rusting concelled Whon sipper with Pillow fabric. d) Centre table for sofa cum day bed of size 650x350 mm with height of 550 mm or as per drgs. High resilience Polyurethane 35x 90x 90x 90x mm with sentioned above with S5 finish legs below as per detailed drg with wooden finish work top as per finish mentioned above with S5 finish legs below as per detailed drg smcland of provided and provided with soft in the same mentioned above. f) Ty panel of 1200 x 1500 x 20 mm mounted on wall for fixing of LED TV as per detailed drgs made of plywood and fixed to wall using invisible fixing system all sides finished same as mentioned above. f) Providing and fixing wooden finished as mentioned above as mentioned above. f) Providing and fixing wooden finished as menti | | | | below duly polished in the finish as mentioned. the under structure as mentioned in |
| hardware /rails etc for drawers etc shall be of Blum/ Hettich/ Hafelle. All furniture pieces shall have rubber gaskets as required. Arets quoted shall be inclusive of all hardware required & fixing at site complete in all respects. Please note that in case of any deviation in the sizing of drgs. & BOQ the the drgs shall supersede the BOQ Item & payments shall be made term wise as per drgs. Surface Finish- Light Oak/Ash/Cherry natural Veneer in cherry stain (option 5) Polish- 100% closed grain polish in semi gloss satin melamine finish Items to be supplied a) Bedbase of 1800x2000mm in plywood & natural wood with nylon glides with sides finished same as other surface finish mentioned above including Headboard of 2800x1500x50 mm or as per drgs with PU padded upholstery in the middle equivalent to the width of the bed. b) Bed side cables of 450x450 mm with height of 550 mm or as per drgs with drawers on rails with 55 finish legs below as per detailed drgs. c) Sofa cum Day bed of 220x 850x 800 mm made of Solid wood and plywood frame. Polyurethane foam and elastic webbing straps on the frame or as per drgs. High resilience Polyurethane 55x gb centsity foam wrapped with goose down set cushion. Fully goose down in divided sections to keep shape back cushion. Non-rusting conceled Mylon zipper with Pillow faltor. d) Centre table for sofa cum day bed of size 650x350 mm with height of 550 mm or as per drgs. High resilience Polyurethane 35x gb centsity foam wrapped with goose down set cushion. Fully goose down in divided sections to keep shape back cushion. Non-rusting conceled Mylon zipper with Pillow faltor. d) Centre table for sofa cum day bed of size 650x350 mm with height of 550 mm or as per drgs. High resilience Polyurethane 35x gb centsity foam wrapped with goose down set cushion. Fully goose down set retailed drgs made of plywood and fixed to wall using invisible fixing system all sides finished same and mentioned above. If you present the propense of the proper detailed drgs in the same mentioned above. If t | | | | steel shall be made of stainless steel in desired finish or as per detailed drgs. The |
| pieces shall have rubber gaskets as required. rates quoted shall be inclusive of all hardware required & fixing at site complete in all respects. Please note that in case of any deviation in the sking of drgs. & BOQ the the drgs shall supersede the BOQ item & payments shall be made item wise as per drgs. Surface Finish- Light Oak/Ash/Cherry natural Veneer in cherry stain (option 5) Polish- 100% closed grain polish in semi gloss satin melamine finish Items to be supplied 3) Bedbase of 1800c2000mm in plywood & natural wood with nylon glides with sides finished same as other surface finish mentioned above including Headboard of 2800x1500x50 mm or as per drgs with PU padded upholstery in the middle equivalent to the width of the bed. b) Bed side tables of 450x450 mm with height of 550 mm or as per drgs with drawers on rails with 55 finish legs below as per detailed drgs. c) Sofa cum Day bed of 2200 x890x 800 mm made of Solid wood and plywood frame. c) Sofa cum Day bed of 2200 x890x 800 mm made of Solid wood and plywood frame. polyurethane 6man and elastic webbing straps on the frame or as per drgs. High resilience Polyurethane 35kg Density fram wrapped with goose down seat cushion. Fully goose down in divided sections to keep shape back cushion. Non-rusting conceeled Nylon zipper with Pillow fabric. d) Centre table for sofa cum day bed of size 650x350 mm with height of 550 mm or as per drgs with wooden finish work top as per finish mentioned above with S5 finish legs below as per detailed drgs. d) Lugage rack of 900x450x750 mm or as per drgsmade of ply board in matching surface finish as mentioned above. All surface of wood to have protective aluminum strips. f) TV panel of 1200 x 1500 x 20 mm mounted on wall for fixing of LED TV as per detailed drgs made of plywood and fixed to wall using invisible fixing system all sides finished same as mentioned above. g) Study deck a sper detailed drgs finished as mentioned above on saximum of 3000mm. The rates quoted are complete in all respects including king the | | | | hardware /rails etc for drawers etc shall be of Blum/ Hettich/ Hafelle All furniture |
| hardware required & fixing at site complete in all respects. Please note that in case of any devation in the sixing of drgs & BOQ the the drgs shall supersede the BOQ Item & payments shall be made Item wise as per drgs. Surface Finish- Light Oak/Ash/Cherry natural Veneer in cherry stain (option 5) Polish- 100% closed grain polish in semi gloss satin melamine finish Items to be supplied a) Bedbase of 1800x2000mm in plywood & natural wood with nylon glides with sides finished same as other surface finish mentioned above including Headboard of 2800x1500x50 mm or as per drgs with PU padded upholstery in the middle equivalent to the width of the bed. b) Bed side tables of 450x450 mm with height of 550 mm or as per drgs with drawers on rails with 55 finish legs below as per detailed drgs. c) Sofa cum Day bed of 220x 390x 800 mm made of Solid wood and plywood frame. Polyurethane foam and elastic webbing straps on the frame or as per drgs. High resilience Polyurethane 55Kg Density foam wrapped with goose down seat cushion. Fully goose down in divided sections to keep shape back cushion. Non-rusting concealed Mylon zipper with Pillow fabric. d) Centre table for sofa cum day bed of size 650x350 mm with height of 550 mm or as per drgs with wooden finish work top as per finish mentioned above with SS finish legs below as per detailed drgs. d) Centre table for sofa cum day bed of size 650x350 mm with height of 550 mm or as per drgs with wooden finish work top as per finish mentioned above with SS finish legs below as per detailed drgs. f) Ty panel of 1200 x 1500 x 20 mm mounted on wall for fixing of LED TV as per detailed drgs made of plywood and fixed to wall using invisible fixing system all sides finished as mentioned above. g) Study desk as per detailed drgs finished as mentioned above. 1 Nos Providing and fixing wooden finished pelmet in same finish as mentioned above. 1 Nos providing and fixing wooden finished pelmet in same finish as mentioned above. 1 Nos 10 mm x 15mm or as per drgs along the full len | | | | |
| any deviation in the sizing of drgs & BOQ the the drgs shall supersede the BOQ item & payments shall be made item wise as per drgs. Surface Finish: Light Oak/Rsh/Cherry natural Veneer in cherry stain (option 5) Polish: 100% closed grain polish in semi gloss satin melamine finish Items to be supplied a) Bedbase of 1800x2000mm in plywood & natural wood with nylon glides with sides finished same as other surface finish mentioned above including Headboard of 2800x150x050 mm or as per drgs with PU padded upholstery in the middle equivalent to the width of the bed. b) Bed side tables of 450x450 mm with height of 550 mm or as per drgs with drawers on ralls with 55 finish legs below as per detailed drgs. c) Sofa cum Day bed of 2200 x890x 800 mm made of 50lid wood and plywood frame. Polyurethane 6 and and elastic webbing straps on the frame or as per drgs. High resilience Polyurethane 53Kg Density foam wrapped with goose down seat cushion. Fully goose down in divided sections to keep shape back cushion. Non-rusting concealed Nylon zipper with Pillow fabric. d) Centre table for sofa cum day bed of size 650x350 mm with height of 550 mm or as per drgs with wooden finish work top as per finish mentioned above with \$5 finish legs below as per detailed drgs. e) Lugage rack of 90xx45x750 mm or as per drgsmade of ply board in matching surface finish as mentioned above. All surface of wood to have protective aluminum strips. f) Ty panel of 1200 x 1500 x 20 mm munuted on wall for fixing of LED TV as per detailed drgs made of plywood and fixed to wall using invisible fixing system all isdes finished same as mentioned above. g) Study desk as per detailed drgs finished as mentioned above. 1 Nos providing and fixing wooden finished pelmet in same finish as mentioned above. 1 Nos 10 Providing and fixing wooden finished pelmet in same finish as mentioned above. 1 Nos 10 Providing and fixing wooden finished pelmet in same finish as mentioned above. 1 Nos 10 Providing and fixing individual pocket spring coli matteress o | | | | · · · · · · · · · · · · · · · · · · · |
| payments shall be made item wise as per drgs. Surface Finish- Light Oak/Ash/Cherry natural Veneer in cherry stain (option 5) Polish- 100% closed grain polish in semi gloss satin melamine finish Items to be supplied a) Bedbase of 1800x2000mm in plywood & natural wood with nylon glides with sides finished same as other surface finish mentioned above including Headboard of 2800x1500x50 mm or as per drgs with PU padded upholstery in the middle equivalent to the width of the bed. b) Bed side tables of 450x450 mm with height of 550 mm or as per drgs with drawers on rails with 55 finish legs below as per detailed drgs. c) Sofa cum Day bed of 220x 930x 800 mm made of Solid wood and plywood frame. Polyurethane foam and elastic webbing straps on the frame or as per drgs. High resilience Polyurethane 35Kg Density foam wrapped with goose down seat cushion. Fully goose down in divided sections to keep shape back cushion. Non-rusting concealed Nylon zipper with Pillow fabric. d) Centre table for sofa cum day bed of size 650x350 mm with height of 550 mm or as per drgs with wooden finish work top as per finish mentioned above with 55 finish legs below as per detailed drgs. e) Luggage rack of 900x450x750 mm or as per drgsmade of ply board in matching surface finish as mentioned above. All surface of wood to have protective aluminum strips. f) TV panel of 1200 x 1500 x 20 mm mounted on wall for fixing of LED TV as per detailed drgs including the TV ledge of size 2400 x 250 x 50 mm or as per detailed drgs made of plywood and fixed to wall using invisible fixing system all sides finished as mentioned above. f) Study dask as per detailed drgs finished as mentioned above. f) Togge unit of 650x600 mm & height 950 or as per drgs finished as mentioned above. f) Providing and fixing wooden finished pelmet in same finish as mentioned above of size 100 mm x 15mm or as per drgs along the full length of the room upto a maximum of 3000mm. The rates quoted are complete in all respects including fixing the the pelmet with invisible f | | | | · · · · · · · · · · · · · · · · · · · |
| Surface Finish- Light Oak/Ash/Cherry natural Veneer in cherry stain (option 5) Polish- 100% closed grain polish in semi gloss satin melamine finish Items to be supplied a) Bedbase of 1800x2000mm in plywood & natural wood with nylon glides with sides finished same as other surface finish mentioned above including Headboard of 280x150x050 mm or as per drags with Up added upholstery in the middle equivalent to the width of the bed. b) Bed side tables of 450x450 mm with height of 550 mm or as per drags with drawers on rails with SS finish legs below as per detailed drgs. c) Sofa cum Day bed of 2200 x890x 800 mm made of 50ild wood and plywood frame. Polyurethane 6 man and elastic webbing strays on the frame or as per drgs. High resilience Polyurethane 35Kg Density foam wrapped with goose down seat cushion. Fully goose down in divided sections to keep shape back cushion. Non-rusting concealed Nylon zipper with Pillow fabric. d) Center teable for sofa cum day bed of size 650x350 mm with height of 550 mm or as per drgs with wooden finish work top as per finish mentioned above with SS finish legs below as per detailed drgs. e) Lugage rack of 900x450x750 mm or as per drgsmade of ply board in matching surface finish as mentioned above. All surface of wood to have protective aluminum strips. f) Ty panel of 1200 x 1500 x 20 mm mounted on wall for fixing of LED TV as per detailed drgs including the TV ledge of size 2400 x 250 x 50 mm or as per detailed drgs including the TV ledge of size 2400 x 250 x 50 mm or as per detailed drgs made of plywood and fixed to wall using invisible fixing system all sides finished same as mentioned above. g) Study dexk as per detailed drgs finished as mentioned above. 1 Nos Fridge unit of 650x600 mm & height 950 or as per drgs finished as mentioned above of 1 Nos 10 mm x 15mm or as per drgs along the full length of the room upto a maximum of 3000mm. The rates quoted are complete in all respects including fixing the the pelmet with invisible fixing as required at site inclusive of cleats, scr | | | | any deviation in the sizing of drgs & BOQ the the drgs shall supersede the BOQ item & |
| Polish-100% closed grain polish in semi gloss satin melamine finish Items to be supplied a) Bedbase of 1800x2000mm in plywood & natural wood with nylon glides with sides finished same as other surface finish mentioned above including Headboard of 280x150x050 mm or as per drgs with Up Badded upholstery in the middle equivalent to the width of the bed. b) Bed side tables of 450x450 mm with height of 550 mm or as per drgs with drawers on rails with S5 finish legs below as per detailed drgs. c) Sofa cum Day bed of 2200 x890x 800 mm made of Solid wood and plywood frame. Polywrethane foam and elastic webbing straps on the frame or as per drgs. High resilience Polywrethane 535x Density foam wrapped with goose down seat cushion. Fully goose down in divided sections to keep shape back cushion. Non-rusting concealed Nylon zipper with Pillow fabric. d) Centre table for sofa cum day bed of size 650x350 mm with height of 550 mm or as per drgs with wooden finish work top as per finish mentioned above with S5 finish legs below as per detailed drgs. e) Luggage rack of 900x450x750 mm or as per drgsmade of ply board in matching surface finish as mentioned above. All surface of wood to have protective aluminum strips. f) TV panel of 1200 x 1500 x 20 mm mounted on wall for fixing of LED TV as per detailed drgs made of plywood and fixed to wall using invisible fixing system all sides finished same as mentioned above. g) Study desk as per detailed drgs finished as mentioned above. 1 Nos providing and fixing wooden finished pelmet in same finish as mentioned above of size 100 mm x 15mm or as per drgs along the full length of the room upto a maximum of 3000mm. The rates quoted are complete in all respects including fixing the the pelmet with invisible fixing as required at site inclusives of cleats, screws etc. j) Study table chair with Swivel base, Chromed steel base Dia60. Rubber wheels. Lift pump gas through gas UNI 9084/2002. 5 positions advanced tilting mechanism. Fire proof PU upholstery finish as per image attached. | | | | payments shall be made item wise as per drgs. |
| Polish- 100% closed grain polish in semi gloss satin melamine finish | | | | |
| lems to be supplied a) Bedbase of 1800x2000mm in plywood & natural wood with nylon glides with sides finished same as other surface finish mentioned above including Headboard of 2800x1500x50 mm or as per drgs with PU padded upholstery in the middle equivalent to the width of the bed. b) Bed side tables of 450x450 mm with height of 550 mm or as per drgs with drawers on rails with SS finish legs below as per detailed drgs. c) Sofa cum Day bed of 2200x 890x 800 mm made of Solid wood and plywood frame. Polyurethane foam and elastic webbing straps on the frame or as per drgs. High resilience Polyurethane 585kg Density foam wrapped with goose down seat cushion. Fully goose down in divided sections to keep shape back cushion. Non-rusting concealed Nylon zipper with Pillow fabric. d) Centre table for sofa cum day bed of size 650x350 mm with height of 550 mm or as per drgs with wooden finish work top as per finish mentioned above with SS finish legs below as per detailed drgs. e) Luggage rack of 300x450x750 mm or as per drgsmade of ply board in matching surface finish as mentioned above. All surface of wood to have protective aluminum strips. f) Ty panel of 1200 x 1500 x 20 mm mounted on wall for fixing of LED TV as per detailed drgs midding the TV ledge of size 2400 x 250 x 50 mm or as per detailed drgs made of plywood and fixed to wall using invisible fixing system all sides finished same as mentioned above. g) Study desk as per detailed drgs finished as mentioned above . 1 Nos h) Fridge unit of 650x600 mm & height 950 or as per drgs finished as mentioned above . 1 Nos i) Providing and fixing wooden finished pelmet in same finish as mentioned above of size 100 mm x 15mm or as per drgs along the full length of the room upto a maximum of 3000mm. The rates quoted are complete in all respects including fixing the the pelmet with invisible fixing as required at site inclusive of cleats, screws etc. j) Study table chair with Swivel base, Chromed steel base Dia60. Rubber wheels. Lift pump gas through gas UNI 9084/2002. 5 p | | | | |
| a) Bedbase of 1800x2000mm in plywood & natural wood with nylon glides with sides finished same as other surface finish mentioned above including Headboard of 2800x1500x50 mx or as per drgs with Pt) padded upholstery in the middle equivalent to the width of the bed. b) Bed side tables of 450x450 mm with height of 550 mm or as per drgs with drawers on rails with 55 finish legs below as per detailed drgs. c) Sofa cum Day bed of 2200 x890x 800 mm made of Solid wood and plywood frame. Polyurethane foam and elastic webbing straps on the frame or as per drgs. High resilience Polyurethane 35kg Density foam wrapped with goose down as extra ushion. Fully goose down in divided sections to keep shape back cushion. Non-rusting concealed Nylon zipper with Pillow fabric. d) Centre table for sofa cum day bed of size 650x350 mm with height of 550 mm or as per drgs with wooden finish work top as per finish mentioned above with \$5 finish legs below as per detailed drgs. e) Lugage rack of 90x450x750 mm or as per drgsmade of ply board in matching surface finish as mentioned above. All surface of wood to have protective aluminum strips. f) TV panel of 1200 x 1500 x 20 mm mounted on wall for fixing of LED TV as per detailed drgs including the TV ledge of size 2400 x 250 x 50 mm or as per detailed drgs made of plywood and fixed to wall using invisible fixing system all sides finished same as mentioned above. g) Study desk as per detailed drgs finished as mentioned above on the providing and fixing wooden finished pelmet in same finish as mentioned above of size 100 mm x 15mm or as per drgs along the full length of the room upto a maximum of 3000mm. The rates quoted are complete in all respects including fixing the the pelmet with invisible fixing as required at site inclusives of cleasts, screws etc. j) Study table chair with Swivel base, Chromed steel base Dia60, Rubber wheels. Lift pump gas through gas UNI 9084/2002. 5 positions advanced tilting mechanism. Fire proof PU upholstery finish as per image attached. | | | | |
| finished same as other surface finish mentioned above including Headboard of 2800x1500x50 mm or as per drgs with PU padded upholstery in the middle equivalent to the width of the bed. b) Bed side tables of 450x450 mm with height of 550 mm or as per drgs with drawers on rails with Sf finish legs below as per detailed drgs. c) Sofa cum Day bed of 2200 x890x 800 mm made of Solid wood and plywood frame. Polyurethane foam and elastic webbing straps on the frame or as per drgs. High resillence Polyurethane 35Kg Density froam wrapped with goose down seat cushion. Fully goose down in divided sections to keep shape back cushion. Non-rusting concealed Nylon zipper with Pillow fabric. d) Centre table for sofa cum day bed of size 650x350 mm with height of 550 mm or as per drgs with wooden finish work top as per finish mentioned above with SS finish legs below as per detailed drgs. e) Luggage rack of 900x450x750 mm or as per drgsmade of ply board in matching surface finish as mentioned above. All surface of wood to have protective aluminum strips. f) TV panel of 1200 x 1500 x 20 mm mounted on wall for fixing of LED TV as per detailed drgs including the TV ledge of size 2400 x 250 x 50 mm or as per detailed drgs made of plywood and fixed to wall using invisible fixing system all sides finished same as mentioned above. g) Study debk as per detailed drgs finished as mentioned above . 1 Nos Fridge unit of 650x600 mm & height 950 or as per drgs finished as mentioned above . 1 Nos 1) Providing and fixing wooden finished pelmet in same finish as mentioned above of size 100 mm x 15mm or as per drgs along the full length of the room upto a maximum of 300mmn. The rates quoted are complete in all respects including fixing the the pelmet with invisible fixing as required at site inclusive of cleats, screws etc . j) Study table chair with Swivel base, Chromed steel base Dia60. Rubber wheels. Lift pump gas through gas UNI 9084/2002. 5 positions advanced tilting mechanism. Fire proof PU upholstery finish as per image attached. | | Noc | 1 | |
| 2800x1500x50 mm or as per drgs with PU padded upholstery in the middle equivalent to the width of the bed. b) Bed side tables of 450x450 mm with height of 550 mm or as per drgs with drawers on rails with SS finish legs below as per detailed drgs. c) Sofa cum Day bed of 2200 x890x 800 mm made of Solid wood and plywood frame. Polyurethane foam and elastic webbing straps on the frame or as per drgs. High resilience Polyurethane 35Kg Density foam wrapped with goose down seat cushion. Fully goose down in divided sections to keep shape back cushion. Non-rusting concealed Nylon zipper with Pillow fabric. d) Centre table for sofa cum day bed of size 650x350 mm with height of 550 mm or as per drgs with wooden finish work top as per finish mentioned above with SS finish legs below as per detailed drgs. e) Luggage rack of 900x450x750 mm or as per drgsmade of ply board in matching surface finish as mentioned above. All surface of wood to have protective aluminum strips. f) Ty panel of 1200 x 1500 x 20 mm mounted on wall for fixing of LED TV as per detailed drgs including the TV ledge of size 2400 x 250 x 50 mm or as per detailed drgs made of plywood and fixed to wall using invisible fixing system all sides finished same as mentioned above. g) Study desk as per detailed drgs finished as mentioned above . 1 Nos ridge unit of 650x600 mm & height 950 or as per drgs finished as mentioned above of size 100 mm x 15mm or as per drgs along the full length of the room upto a maximum of 3000mm. The rates quoted are complete in all respects including fixing the the pelmet with invisible fixing as required at site inclusive of cleats, screws etc. k) Study table chair with Swivel base, Chromed steel base Dia60. Rubber wheels. Lift pump gas through gas UNI 9084/2002. 5 positions advanced tilting mechanism. Fire proof PU upholstery finish as per image attached. | | NOS | 1 | |
| to the width of the bed. b) Bed side tables of 450x450 mm with height of 550 mm or as per drgs with drawers on 2 Nos rails with 55 finish legs below as per detailed drgs. c) Sofa cum Day bed of 2200 x890 x800 mm made of Solid wood and plywood frame. Polyurethane foam and elastic webbing straps on the frame or as per drgs. High resilience Polyurethane a 55kg Density foam wrapped with goose down seat cushion. Fully goose down in divided sections to keep shape back cushion. Non-rusting concealed Nylon zipper with Pillow fabric. d) Centre table for sofa cum day bed of size 650x350 mm with height of 550 mm or as per drgs with wooden finish work top as per finish mentioned above with SS finish legs below as per detailed drgs. e) Luggage rack of 900x450x750 mm or as per drgsmade of ply board in matching surface finish as mentioned above. All surface of wood to have protective aluminum strips. f) TV panel of 1200 x 1500 x 20 mm mounted on wall for fixing of LED TV as per detailed drgs including the TV ledge of size 2400 x 250 x 50 mm or as per detailed drgs made of plywood and fixed to wall using invisible fixing system all sides finished same as mentioned above. g) Study desk as per detailed drgs finished as mentioned above . 1 Nos ridge unit of 650x600 mm & height 950 or as per drgs finished as mentioned above . 1 Nos 10 Providing and fixing wooden finished pelmet in same finish as mentioned above of size 100 mm x 15mm or as per drgs along the full length of the room upto a maximum of 300mmm. The rates quoted are complete in all respects including fixing the the pelmet with invisible fixing as required at site inclusive of cleats, screws etc. g) Study table chair with Swivel base, Chromed steel base Dia60. Rubber wheels. Lift pump gas through gas UNI 9084/2002. 5 positions advanced tilting mechanism. Fire proof PU upholstery finish as per image attached. | | | | · · |
| b) Bed side tables of 450x450 mm with height of 550 mm or as per drgs with drawers on rals with 55 finish legs below as per detailed drgs. c) Sofa cum Day bed of 2200 x890x 800 mm made of Solid wood and plywood frame. Polyurethane foam and elastic webbing straps on the frame or as per drgs. High resilience Polyurethane 35 kg Density foam wrapped with goose down seat cushion. Fully goose down in divided sections to keep shape back cushion. Non-rusting concealed Nylon zipper with Pillow fabric. d) Centre table for sofa cum day bed of size 650x350 mm with height of 550 mm or as per drgs with wooden finish work top as per finish mentioned above with SS finish legs below as per detailed drgs. e) Lugsgae rack of 900x450x750 mm or as per drgsmade of ply board in matching surface finish as mentioned above. All surface of wood to have protective aluminum strips. f) TV panel of 1200 x 1500 x 20 mm mounted on wall for fixing of LED TV as per detailed drgs including the TV ledge of size 2400 x 250 x 50 mm or as per detailed drgs made of plywood and fixed to wall using invisible fixing system all sides finished same as mentioned above. g) Study desk as per detailed drgs finished as mentioned above . 1 Nos Providing and fixing wooden finished pelmet in same finish as mentioned above of size 100 mm x 15mm or as per drgs along the full length of the room upto a maximum of 3000mm. The rates quoted are complete in all respects including fixing the the pelmet with invisible fixing as required at site inclusive of cleats, screws etc. k) Study table chair with Swivel base, Chromed steel base Dia60. Rubber wheels. Lift pump gas through gas UNI 9084/2002. 5 positions advanced tilting mechanism. Fire proof PU upholstery finish as per image attached. k) Providing and fixing individual pocket spring coil matteress of 1800x2000x200 mm comprising of in the same order, knitting fabric(fire-proof), 2.5cm 25density Wave foam, 30g nonwoven fabric, 1PCS white cotton pad, pocket spring 2.0mm 15CM, 1PCS white cotton pad, 30g nonwove fabr | | | | 2800x1500x50 mm or as per drgs with PU padded upholstery in the middle equivalent |
| rails with SS finish legs below as per detailed drgs. c) Sofa cum Day bed of 2200 x890x 800 mm made of Solid wood and plywood frame. Polyurethane foam and elastic webbing straps on the frame or as per drgs. High resilience Polyurethane 35Kg Density foam wrapped with goose down seat cushion. Fully goose down in divided sections to keep shape back cushion. Non-rusting concealed Nylon zipper with Pillow fabric. d) Centre table for sofa cum day bed of size 650x350 mm with height of 550 mm or as per drgs with wooden finish work top as per finish mentioned above with SS finish legs below as per detailed drgs. e) Luggage rack of 900x450x750 mm or as per drgsmade of ply board in matching surface finish as mentioned above. All surface of wood to have protective aluminum strips. f) TV panel of 1200 x 1500 x 20 mm mounted on wall for fixing of LED TV as per detailed drgs including the TV ledge of size 2400 x 250 x 50 mm or as per detailed drgs made of plywood and fixed to wall using invisible fixing system all sides finished same as mentioned above. g) Study desk as per detailed drgs finished as mentioned above . 1 Nos providing and fixing wooden finished pelmet in same finish as mentioned above . 1 Nos 100 mm x 15mm or as per drgs along the full length of the room upto a maximum of 3000mm. The rates quoted are complete in all respects including fixing the the pelmet with invisible fixing as required at site inclusive of cleats, screws etc. j) Study table chair with Swivel base, Chromed steel base Dia60. Rubber wheels. Lift pump gas through gas UNI 9084/2002. 5 positions advanced tilting mechanism. Fire proof PU upholstery finish as per image attached. k) Providing and fixing individual pocket spring coil matteress of 1800x2000x200 mm comprising of in the same order , knitting fabric(fire-proof), 2.5cm 25density Wave foam, 30g nonwoven fabric, 1PCS white cotton pad, 90cket spring 2.0mm 15CM, 1PCS white cotton pad, 30g nonwoven fabric, 2.5cm 25density Wave foam, knitting fabric(fire | | | | to the width of the bed. |
| rails with SS finish legs below as per detailed drgs. c) Sofa cum Day bed of 2200 x890x 800 mm made of Solid wood and plywood frame. Polyurethane foam and elastic webbing straps on the frame or as per drgs. High resilience Polyurethane 35Kg Density foam wrapped with goose down seat cushion. Fully goose down in divided sections to keep shape back cushion. Non-rusting concealed Nylon zipper with Pillow fabric. d) Centre table for sofa cum day bed of size 650x350 mm with height of 550 mm or as per drgs with wooden finish work top as per finish mentioned above with SS finish legs below as per detailed drgs. e) Luggage rack of 900x450x750 mm or as per drgsmade of ply board in matching surface finish as mentioned above. All surface of wood to have protective aluminum strips. f) TV panel of 1200 x 1500 x 20 mm mounted on wall for fixing of LED TV as per detailed drgs including the TV ledge of size 2400 x 250 x 50 mm or as per detailed drgs made of plywood and fixed to wall using invisible fixing system all sides finished same as mentioned above. g) Study desk as per detailed drgs finished as mentioned above . 1 Nos providing and fixing wooden finished pelmet in same finish as mentioned above . 1 Nos 100 mm x 15mm or as per drgs along the full length of the room upto a maximum of 3000mm. The rates quoted are complete in all respects including fixing the the pelmet with invisible fixing as required at site inclusive of cleats, screws etc. j) Study table chair with Swivel base, Chromed steel base Dia60. Rubber wheels. Lift pump gas through gas UNI 9084/2002. 5 positions advanced tilting mechanism. Fire proof PU upholstery finish as per image attached. k) Providing and fixing individual pocket spring coil matteress of 1800x2000x200 mm comprising of in the same order , knitting fabric(fire-proof), 2.5cm 25density Wave foam, 30g nonwoven fabric, 1PCS white cotton pad, 90cket spring 2.0mm 15CM, 1PCS white cotton pad, 30g nonwoven fabric, 2.5cm 25density Wave foam, knitting fabric(fire | | Nos | 2 | |
| c) Sofa cum Day bed of 2200 x890x 800 mm made of Solid wood and plywood frame. Polyurethane foam and elastic webbing straps on the frame or as per drgs. High resilience Polyurethane 53kg Density foam wrapped with goose down seat cushion. Fully goose down in divided sections to keep shape back cushion. Non-rusting concealed Nylon zipper with Pillow fabric. d) Centre table for sofa cum day bed of size 650x350 mm with height of 550 mm or as per drgs with wooden finish work top as per finish mentioned above with SS finish legs below as per detailed drgs. e) Luggage rack of 900x450x750 mm or as per drgsmade of ply board in matching surface finish as mentioned above. All surface of wood to have protective aluminum strips. f) TV panel of 1200 x 1500 x 20 mm mounted on wall for fixing of LED TV as per detailed drgs including the TV ledge of size 2400 x 250 x 50 mm or as per detailed drgs made of plywood and fixed to wall using invisible fixing system all sides finished same as mentioned above. g) Study desk as per detailed drgs finished as mentioned above . 1 Nos Troiding and fixing wooden finished pelmet in same finish as mentioned above of size 100 mm x 15mm or as per drgs along the full length of the room upto a maximum of 3000mm. The rates quoted are complete in all respects including fixing the the pelmet with invisible fixing as required at site inclusive of cleats, screws etc . j) Study table chair with Swivel base, Chromed steel base Dia60. Rubber wheels. Lift pump gas through gas UNI 9084/2002. 5 positions advanced tilting mechanism. Fire proof PU upholstery finish as per image attached. k) Providing and fixing individual pocket spring coil matteress of 1800x2000x200 mm comprising of in the same order , knitting fabric (fire-proof), 2.5cm 25density Wave foam, 30g nonwoven fabric, 1PCS white cotton pad, 30g nonwoven fabric, 2.5cm 25density Wave foam, knitting fabric (fire | | | _ | · |
| Polyurethane foam and elastic webbing straps on the frame or as per drgs. High resilience Polyurethane 35kg Density foam wrapped with goose down seat cushion. Fully goose down in divided sections to keep shape back cushion. Non-rusting concealed Nylon zipper with Pillow fabric. d) Centre table for sofa cum day bed of size 650x350 mm with height of 550 mm or as per drgs with wooden finish work top as per finish mentioned above with SS finish legs below as per detailed drgs. e) Luggage rack of 900x450x750 mm or as per drgsmade of ply board in matching surface finish as mentioned above. All surface of wood to have protective aluminum strips. f) TV panel of 1200 x 1500 x 20 mm mounted on wall for fixing of LED TV as per detailed drgs including the TV ledge of size 2400 x 250 x 50 mm or as per detailed drgs made of plywood and fixed to wall using invisible fixing system all sides finished same as mentioned above. g) Study dosk as per detailed drgs finished as mentioned above . 1 Nos Fridge unit of 650x600 mm & height 950 or as per drgs finished as mentioned above of size 100 mm x 15mm or as per drgs along the full length of the room upto a maximum of 300mm. The rates quoted are complete in all respects including fixing the the pelmet with invisible fixing as required at site inclusive of cleats, screws etc . study table chair with Swivel base, Chromed steel base Dia60. Rubber wheels. Lift pump gas through gas UNI 9084/2002. 5 positions advanced tilting mechanism. Fire proof PU upholstery finish as per image attached. k) Providing and fixing individual pocket spring coil matteress of 1800x2000x200 mm comprising of in the same order , knitting fabric(fire-proof).2.5cm 25density Wave foam, 30g nonwoven fabric, 1PCS white cotton pad, 30g nonwoven fabric, 2.5cm 25density Wave foam, 30g nonwoven fabric, 1PCS white cotton pad, 30g nonwoven fabric, 2.5cm 25density Wave foam, 30g nonwoven fabric, 925 mm 25density Wave foam, knitting fabric(fire-proof). | | Nos | 1 | · |
| resilience Polyurethane 35Kg Density foam wrapped with goose down seat cushion. Fully goose down in divided sections to keep shape back cushion. Non-rusting concealed Nylon zipper with Pillow fabric. d) Centre table for sofa cum day bed of size 650x350 mm with height of 550 mm or as per drags with wooden finish work top as per finish mentioned above with SS finish legs below as per detailed drgs. e) Luggage rack of 900x450x750 mm or as per drgsmade of ply board in matching surface finish as mentioned above. All surface of wood to have protective aluminum strips. f) TV panel of 1200 x 1500 x 20 mm mounted on wall for fixing of LED TV as per detailed drgs including the TV ledge of size 2400 x 250 x 50 mm or as per detailed drgs made of plywood and fixed to wall using invisible fixing system all sides finished same as mentioned above. g) Study desk as per detailed drgs finished as mentioned above . 1 Nos ridge unit of 650x600 mm & height 950 or as per drgs finished as mentioned above of size 100 mm x 15mm or as per drgs along the full length of the room upto a maximum of 3000mm. The rates quoted are complete in all respects including fixing the the pelmet with invisible fixing as required at site inclusive of cleats, screws etc . g) Study table chair with Swivel base, Chromed steel base Dia60. Rubber wheels. Lift pump gas through gas UNI 9084/2002. 5 positions advanced tilting mechanism. Fire proof PU upholstery finish as per image attached. k) Providing and fixing individual pocket spring coil matteress of 1800x2000x200 mm comprising of in the same order , knitting fabric(fire-proof).2.5cm 25density Wave foam, 30g nonwoven fabric, 1PCS white cotton pad, 90g nonwoven fabric, 2.5cm 25density Wave foam, 30g nonwoven fabric, 1PCS white cotton pad, 90g nonwoven fabric, 2.5cm 25density Wave foam, knitting fabric(fire- | | 11/05 | 1 | |
| Fully goose down in divided sections to keep shape back cushion. Non-rusting concealed Nylon zipper with Pillow fabric. d) Centre table for sofa cum day bed of size 650x350 mm with height of 550 mm or as per drgs with wooden finish work top as per finish mentioned above with SS finish legs below as per detailed drgs. e) Lugage rack of 90x450x750 mm or as per drgsmade of ply board in matching surface finish as mentioned above. All surface of wood to have protective aluminum strips. f) TV panel of 1200 x 1500 x 20 mm mounted on wall for fixing of LED TV as per detailed drgs including the TV ledge of size 2400 x 250 x 50 mm or as per detailed drgs made of plywood and fixed to wall using invisible fixing system all sides finished same as mentioned above. g) Study desk as per detailed drgs finished as mentioned above . h) Fridge unit of 650x600 mm & height 950 or as per drgs finished as mentioned above of size 100 mm x 15mm or as per drgs along the full length of the room upto a maximum of 3000mm. The rates quoted are complete in all respects including fixing the the pelmet with invisible fixing as required at site inclusive of cleats, screws etc. j) Study table chair with Swivel base, Chromed steel base Dia60. Rubber wheels. Lift pump gas through gas UNI 9084/2002. 5 positions advanced tilting mechanism. Fire proof PU upholstery finish as per image attached. k) Providing and fixing individual pocket spring coil matteress of 1800x2000x200 mm comprising of in the same order, knitting fabric(fire-proof),2.5cm 25density Wave foam, 30g nonwoven fabric, 1PCS white cotton pad, pocket spring 2.0mm 15CM, 1PCS white cotton pad, 30g nonwoven fabric, 2.5cm 25density Wave foam,knitting fabric(fire-proof). | | | | |
| concealed Nylon zipper with Pillow fabric. d) Centre table for sofa cum day bed of size 650x350 mm with height of 550 mm or as per drgs with wooden finish work top as per finish mentioned above with SS finish legs below as per detailed drgs. e) Luggage rack of 900x450x750 mm or as per drgsmade of ply board in matching surface finish as mentioned above. All surface of wood to have protective aluminum strips. f) Ty panel of 1200 x 1500 x 20 mm mounted on wall for fixing of LED TV as per detailed drgs including the TV ledge of size 2400 x 250 x 50 mm or as per detailed drgs made of plywood and fixed to wall using invisible fixing system all sides finished same as mentioned above. g) Study desk as per detailed drgs finished as mentioned above . 1 Nos Fridge unit of 650x600 mm & height 950 or as per drgs finished as mentioned above of size 100 mm x 15mm or as per drgs along the full length of the room upto a maximum of 3000mm. The rates quoted are complete in all respects including fixing the the pelmet with invisible fixing as required at site inclusive of cleats, screws etc . j) Study table chair with Swivel base, Chromed steel base Dia60. Rubber wheels. Lift pump gas through gas UNI 9084/2002. 5 positions advanced tilting mechanism. Fire proof PU upholstery finish as per image attached. k) Providing and fixing individual pocket spring coil matteress of 1800x2000x200 mm comprising of in the same order , knitting fabric(fire-proof), 2.5cm 25density Wave foam, 30g nonwoven fabric, 2.5cm 25density Wave foam, 80g nonwoven fabric, 20cm 25density Wave foam, 80g nonwoven fabric, 20cm 25dens | | | | resilience Polyurethane 35Kg Density foam wrapped with goose down seat cushion. |
| d) Centre table for sofa cum day bed of size 650x350 mm with height of 550 mm or as per drgs with wooden finish work top as per finish mentioned above with SS finish legs below as per detailed drgs. e) Lugage rack of 900x450x750 mm or as per drgsmade of ply board in matching surface finish as mentioned above. All surface of wood to have protective aluminum strips. f) TV panel of 1200 x 1500 x 20 mm mounted on wall for fixing of LED TV as per detailed drgs including the TV ledge of size 2400 x 250 x 50 mm or as per detailed drgs made of plywood and fixed to wall using invisible fixing system all sides finished same as mentioned above. g) Study desk as per detailed drgs finished as mentioned above . 1 Nos Fridge unit of 650x600 mm & height 950 or as per drgs finished as mentioned above of size 100 mm x 15mm or as per drgs along the full length of the room upto a maximum of 3000mm. The rates quoted are complete in all respects including fixing the the pelmet with invisible fixing as required at site inclusive of cleats, screws etc . j) Study table chair with Swivel base, Chromed steel base Dia60. Rubber wheels. Lift pump gas through gas UNI 9084/2002. 5 positions advanced tilting mechanism. Fire proof PU upholstery finish as per image attached. k) Providing and fixing individual pocket spring coil matteress of 1800x2000x200 mm comprising of in the same order , knitting fabric(fire-proof),2.5cm 25density Wave foam, Ang nonwoven fabric, 125 white cotton pad, pocket spring 2.0mm 15CM, 1PCS white cotton pad, 30g nonwoven fabric, 125 white cotton pad, pocket spring 2.0mm 15CM, 1PCS white cotton pad, 30g nonwoven fabric, 12.5cm 25density Wave foam, knitting fabric(fire | | | | Fully goose down in divided sections to keep shape back cushion. Non-rusting |
| d) Centre table for sofa cum day bed of size 650x350 mm with height of 550 mm or as per drgs with wooden finish work top as per finish mentioned above with SS finish legs below as per detailed drgs. e) Lugagae rack of 900x450x750 mm or as per drgsmade of ply board in matching surface finish as mentioned above. All surface of wood to have protective aluminum strips. f) TV panel of 1200 x 1500 x 20 mm mounted on wall for fixing of LED TV as per detailed drgs including the TV ledge of size 2400 x 250 x 50 mm or as per detailed drgs made of plywood and fixed to wall using invisible fixing system all sides finished same as mentioned above. g) Study desk as per detailed drgs finished as mentioned above . 1 Nos Providing and fixing wooden finished pelmet in same finish as mentioned above of size 100 mm x 15mm or as per drgs along the full length of the room upto a maximum of 3000mm. The rates quoted are complete in all respects including fixing the the pelmet with invisible fixing as required at site inclusive of cleats, screws etc . g) Study table chair with Swivel base, Chromed steel base Dia60. Rubber wheels. Lift pump gas through gas UNI 9084/2002. 5 positions advanced tilting mechanism. Fire proof PU upholstery finish as per image attached. k) Providing and fixing individual pocket spring coil matteress of 1800x2000x200 mm comprising of in the same order , knitting fabric(fire-proof),2.5cm 25density Wave foam, Ang nonwoven fabric, 125 white cotton pad, pocket spring 2.0mm 15CM, 1PCS white cotton pad, 30g nonwoven fabric, 125 white cotton pad, pocket spring 2.0mm 15CM, 1PCS white cotton pad, 30g nonwoven fabric, 12.5cm 25density Wave foam,knitting fabric(fire | | | | concealed Nylon zipper with Pillow fabric. |
| per drgs with wooden finish work top as per finish mentioned above with SS finish legs below as per detailed drgs. e) Luggage rack of 900x450x750 mm or as per drgsmade of ply board in matching surface finish as mentioned above. All surface of wood to have protective aluminum strips. f) TV panel of 1200 x 1500 x 20 mm mounted on wall for fixing of LED TV as per detailed drgs including the TV ledge of size 2400 x 250 x 50 mm or as per detailed drgs made of plywood and fixed to wall using invisible fixing system all sides finished same as mentioned above. g) Study desk as per detailed drgs finished as mentioned above . 1 Nos h) Fridge unit of 650x600 mm & height 950 or as per drgs finished as mentioned above of size 100 mm x 15mm or as per drgs along the full length of the room upto a maximum of 3000mm. The rates quoted are complete in all respects including fixing the the pelmet with invisible fixing as required at site inclusive of cleats, screws etc . j) Study table chair with Swivel base, Chromed steel base Dia60. Rubber wheels. Lift pump gas through gas UNI 9084/2002. 5 positions advanced tilting mechanism. Fire proof PU upholstery finish as per image attached. k) Providing and fixing individual pocket spring coil matteress of 1800x2000x200 mm comprising of in the same order , knitting fabric(fire-proof),2.5cm 25density Wave foam, knitting fabric(fire white cotton pad, 30g nonwoven fabric, 1PCS white cotton pad, 90g nonwoven fabric, 1PCS whit | | Nos | 1 | |
| below as per detailed drgs. e) Luggage rack of 900x450x750 mm or as per drgsmade of ply board in matching surface finish as mentioned above. All surface of wood to have protective aluminum strips. f) TV panel of 1200 x 1500 x 20 mm mounted on wall for fixing of LED TV as per detailed drgs including the TV ledge of size 2400 x 250 x 50 mm or as per detailed drgs made of plywood and fixed to wall using invisible fixing system all sides finished same as mentioned above. g) Study desk as per detailed drgs finished as mentioned above . 1 Nos Fridge unit of 650x600 mm & height 950 or as per drgs finished as mentioned above of size 100 mm x 15mm or as per drgs along the full length of the room upto a maximum of 3000mm. The rates quoted are complete in all respects including fixing the the pelmet with invisible fixing as required at site inclusive of cleats, screws etc. g) Study table chair with Swivel base, Chromed steel base Dia60. Rubber wheels. Lift pump gas through gas UNI 9084/2002. 5 positions advanced tilting mechanism. Fire proof PU upholstery finish as per image attached. k) Providing and fixing individual pocket spring coil matteress of 1800x2000x200 mm 1 Nos comprising of in the same order, knitting fabric(fire-proof),2.5cm 25density Wave foam, 30g nonwoven fabric, 1PCS white cotton pad, 90cket spring 2.0mm 15CM, 1PCS white cotton pad, 30g nonwoven fabric, 2.5cm 25density Wave foam,knitting fabric(fire-proof),2.5cm 25de | | 1403 | _ | |
| e) Luggage rack of 900x450x750 mm or as per drgsmade of ply board in matching surface finish as mentioned above. All surface of wood to have protective aluminum strips. f) TV panel of 1200 x 1500 x 20 mm mounted on wall for fixing of LED TV as per detailed drgs including the TV ledge of size 2400 x 250 x 50 mm or as per detailed drgs made of plywood and fixed to wall using invisible fixing system all sides finished same as mentioned above. g) Study desk as per detailed drgs finished as mentioned above . 1 Nos h) Fridge unit of 650x600 mm & height 950 or as per drgs finished as mentioned above of size 100 mm x 15mm or as per drgs along the full length of the room upto a maximum of 3000mm. The rates quoted are complete in all respects including fixing the the pelmet with invisible fixing as required at site inclusive of cleats, screws etc . j) Study table chair with Swivel base, Chromed steel base Dia60. Rubber wheels. Lift pump gas through gas UNI 9084/2002. 5 positions advanced tilting mechanism. Fire proof PU upholstery finish as per image attached. k) Providing and fixing individual pocket spring coil matteress of 1800x2000x200 mm comprising of in the same order , knitting fabric(fire-proof),2.5cm 25density Wave foam, 30g nonwoven fabric, LPCS white cotton pad, pocket spring 2.0mm 15CM, 1PCS white cotton pad, 30g nonwoven fabric, 2.5cm 25density Wave foam, knitting fabric(fire- | | | | |
| finish as mentioned above. All surface of wood to have protective aluminum strips. f) TV panel of 1200 x 1500 x 20 mm mounted on wall for fixing of LED TV as per detailed drgs including the TV ledge of size 2400 x 250 x 50 mm or as per detailed drgs made of plywood and fixed to wall using invisible fixing system all sides finished same as mentioned above. g) Study desk as per detailed drgs finished as mentioned above . h) Fridge unit of 650x600 mm & height 950 or as per drgs finished as mentioned above of size 100 mm x 15mm or as per drgs along the full length of the room upto a maximum of 3000mm. The rates quoted are complete in all respects including fixing the the pelmet with invisible fixing as required at site inclusive of cleats, screws etc . j) Study table chair with Swivel base, Chromed steel base Dia60. Rubber wheels. Lift pump gas through gas UNI 9084/2002. 5 positions advanced tilting mechanism. Fire proof PU upholstery finish as per image attached. k) Providing and fixing individual pocket spring coil matteress of 1800x2000x200 mm comprising of in the same order , knitting fabric/fire-proof),2.5cm 25density Wave foam, 30g nonwoven fabric, 1PCS white cotton pad, pocket spring 2.0mm 15CM, 1PCS white cotton pad, 30g nonwoven fabric, 2.5cm 25density Wave foam,knitting fabric/fire | | | | |
| f) TV panel of 1200 x 1500 x 20 mm mounted on wall for fixing of LED TV as per detailed drgs including the TV ledge of size 2400 x 250 x 50 mm or as per detailed drgs made of plywood and fixed to wall using invisible fixing system all sides finished same as mentioned above. g) Study desk as per detailed drgs finished as mentioned above . 1 Nos Fridge unit of 650x600 mm & height 950 or as per drgs finished as mentioned above of size 100 mm x 15mm or as per drgs along the full length of the room upto a maximum of 3000mm. The rates quoted are complete in all respects including fixing the the pelmet with invisible fixing as required at site inclusive of cleats, screws etc . j) Study table chair with Swivel base, Chromed steel base Dia60. Rubber wheels. Lift pump gas through gas UNI 9084/2002. 5 positions advanced tilting mechanism. Fire proof PU upholstery finish as per image attached. k) Providing and fixing individual pocket spring coil matteress of 1800x2000x200 mm comprising of in the same order , knitting fabric(fire-proof),2.5cm 25density Wave foam, 30g nonwoven fabric, 1PCS white cotton pad, pocket spring 2.0mm 15CM, 1PCS white cotton pad, 30g nonwoven fabric, 2.5cm 25density Wave foam,knitting fabric(fire-proof),2.5cm 25density Wave foam,knitting fabric(fire-proof),2.5cm 25density Wave foam,knitting fabric(fire-proof). | | Nos | 1 | Luggage rack of 900x450x750 mm or as per drgsmade of ply board in matching surface |
| drgs including the TV ledge of size 2400 x 250 x 50 mm or as per detailed drgs made of plywood and fixed to wall using invisible fixing system all sides finished same as mentioned above. g) Study desk as per detailed drgs finished as mentioned above . 1 Nos Pridge unit of 650x600 mm & height 950 or as per drgs finished as mentioned above . 1 Nos | | | | finish as mentioned above. All surface of wood to have protective aluminum strips. |
| drgs including the TV ledge of size 2400 x 250 x 50 mm or as per detailed drgs made of plywood and fixed to wall using invisible fixing system all sides finished same as mentioned above. g) Study desk as per detailed drgs finished as mentioned above . h) Fridge unit of 650x600 mm & height 950 or as per drgs finished as mentioned above . i) Providing and fixing wooden finished pelmet in same finish as mentioned above of size 100 mm x 15mm or as per drgs along the full length of the room upto a maximum of 3000mm. The rates quoted are complete in all respects including fixing the the pelmet with invisible fixing as required at site inclusive of cleats, screws etc . j) Study table chair with Swivel base, Chromed steel base Dia60. Rubber wheels. Lift pump gas through gas UNI 9084/2002. 5 positions advanced tilting mechanism. Fire proof PU upholstery finish as per image attached. k) Providing and fixing individual pocket spring coil matteress of 1800x2000x200 mm comprising of in the same order , knitting fabric(fire-proof),2.5cm 25density Wave foam, 30g nonwoven fabric, 1PCS white cotton pad, pocket spring 2.0mm 15CM, 1PCS white cotton pad, 30g nonwoven fabric, 2.5cm 25density Wave foam,knitting fabric(fire- | | | | |
| drgs including the TV ledge of size 2400 x 250 x 50 mm or as per detailed drgs made of plywood and fixed to wall using invisible fixing system all sides finished same as mentioned above. g) Study desk as per detailed drgs finished as mentioned above . h) Fridge unit of 650x600 mm & height 950 or as per drgs finished as mentioned above . 1 Nos Providing and fixing wooden finished pelmet in same finish as mentioned above of size 100 mm x 15mm or as per drgs along the full length of the room upto a maximum of 3000mm. The rates quoted are complete in all respects including fixing the the pelmet with invisible fixing as required at site inclusive of cleats, screws etc . 3) Study dable chair with Swivel base, Chromed steel base Dia60. Rubber wheels. Lift pump gas through gas UNI 9084/2002. 5 positions advanced tilting mechanism. Fire proof PU upholstery finish as per image attached. k) Providing and fixing individual pocket spring coil matteress of 1800x2000x200 mm comprising of in the same order , knitting fabric(fire-proof),2.5cm 25density Wave foam, 30g nonwoven fabric, 1PCS white cotton pad, pocket spring 2.0mm 15CM, 1PCS white cotton pad, 30g nonwoven fabric, 2.5cm 25density Wave foam,knitting fabric(fire- | | Nos | 1 | TV panel of 1200 x 1500 x 20 mm mounted on wall for fixing of LED TV as per detailed |
| plywood and fixed to wall using invisible fixing system all sides finished same as mentioned above. g) Study desk as per detailed drgs finished as mentioned above . 1 Nos h) Fridge unit of 650x600 mm & height 950 or as per drgs finished as mentioned above . 1 Nos li Providing and fixing wooden finished pelmet in same finish as mentioned above of size 100 mm x 15mm or as per drgs along the full length of the room upto a maximum of 3000mm. The rates quoted are complete in all respects including fixing the the pelmet with invisible fixing as required at site inclusive of cleats, screws etc . j) Study table chair with Swivel base, Chromed steel base Dia60. Rubber wheels. Lift pump gas through gas UNI 9084/2002. 5 positions advanced tilting mechanism. Fire proof PU upholstery finish as per image attached. k) Providing and fixing individual pocket spring coil matteress of 1800x2000x200 mm comprising of in the same order , knitting fabric(fire-proof),2.5cm 25density Wave foam, 30g nonwoven fabric, 1PCS white cotton pad, pocket spring 2.0mm 15CM, 1PCS white cotton pad, 30g nonwoven fabric, 2.5cm 25density Wave foam, knitting fabric(fire-proof), 2.5cm 25density Wave foam, 30g nonwoven fabric, 2.5cm 25density Wave foam, knitting fabric(fire-proof), 2.5cm 25density Wave foam, so go nonwoven fabric, 2.5cm 25density Wave foam, knitting fabric(fire-proof), 2.5cm | | | | drgs including the TV ledge of size 2400 x 250 x 50 mm or as per detailed drgs made of |
| mentioned above. g) Study desk as per detailed drgs finished as mentioned above . 1 Nos h) Fridge unit of 650x600 mm & height 950 or as per drgs finished as mentioned above . 1 Nos i) Providing and fixing wooden finished pelmet in same finish as mentioned above of size 100 mm x 15mm or as per drgs along the full length of the room upto a maximum of 3000mm. The rates quoted are complete in all respects including fixing the the pelmet with invisible fixing as required at site inclusive of cleats, screws etc . j) Study table chair with Swivel base, Chromed steel base Dia60. Rubber wheels. Lift pump gas through gas UNI 9084/2002. 5 positions advanced tilting mechanism. Fire proof PU upholstery finish as per image attached. k) Providing and fixing individual pocket spring coil matteress of 1800x2000x200 mm comprising of in the same order , knitting fabric(fire-proof),2.5cm 25density Wave foam, 30g nonwoven fabric, 1PCS white cotton pad, pocket spring 2.0mm 15CM, 1PCS white cotton pad, 30g nonwoven fabric, 2.5cm 25density Wave foam,knitting fabric(fire-proof). | | | | |
| g) Study desk as per detailed drgs finished as mentioned above . h) Fridge unit of 650x600 mm & height 950 or as per drgs finished as mentioned above . i) Providing and fixing wooden finished pelmet in same finish as mentioned above of size 100 mm x 15mm or as per drgs along the full length of the room upto a maximum of 3000mm. The rates quoted are complete in all respects including fixing the the pelmet with invisible fixing as required at site inclusive of cleats, screws etc . j) Study table chair with Swivel base, Chromed steel base Dia60, Rubber wheels. Lift pump gas through gas UNI 9084/2002. 5 positions advanced tilting mechanism. Fire proof PU upholstery finish as per image attached. k) Providing and fixing individual pocket spring coil matteress of 1800x2000x200 mm comprising of in the same order , knitting fabric(fire-proof),2.5cm 25density Wave foam, 30g nonwoven fabric, 1PCS white cotton pad, pocket spring 2.0mm 15CM, 1PCS white cotton pad, 30g nonwoven fabric, 2.5cm 25density Wave foam,knitting fabric(fire-proof); 2.5cm 25de | | | | |
| h) Fridge unit of 650x600 mm & height 950 or as per drgs finished as mentioned above . 1 Nos i) Providing and fixing wooden finished pelmet in same finish as mentioned above of size 100 mm x 15mm or as per drgs along the full length of the room upto a maximum of 3000mm. The rates quoted are complete in all respects including fixing the the pelmet with invisible fixing as required at site inclusive of cleats, screws etc . j) Study table chair with Swivel base, Chromed steel base Dia60. Rubber wheels. Lift pump gas through gas UNI 9084/2002. 5 positions advanced tilting mechanism. Fire proof PU upholstery finish as per image attached. k) Providing and fixing individual pocket spring coil matteress of 1800x2000x200 mm comprising of in the same order , knitting fabric(fire-proof),2.5cm 25density Wave foam, 30g nonwoven fabric, 1PCS white cotton pad, pocket spring 2.0mm 15CM, 1PCS white cotton pad, 30g nonwoven fabric, 2.5cm 25density Wave foam,knitting fabric(fire- | | | | |
| i) Providing and fixing wooden finished pelmet in same finish as mentioned above of size 100 mm x 15mm or as per drgs along the full length of the room upto a maximum of 3000mm. The rates quoted are complete in all respects including fixing the the pelmet with invisible fixing as required at site inclusive of cleats, screws etc. j) Study table chair with Swivel base, Chromed steel base Dia60. Rubber wheels. Lift pump gas through gas UNI 9084/2002. 5 positions advanced tilting mechanism. Fire proof PU upholstery finish as per image attached. k) Providing and fixing individual pocket spring coil matteress of 1800x2000x200 mm comprising of in the same order , knitting fabric(fire-proof),2.5cm 25density Wave foam, 30g nonwoven fabric, 1PCS white cotton pad, pocket spring 2.0mm 15CM, 1PCS white cotton pad, 30g nonwoven fabric, 2.5cm 25density Wave foam,knitting fabric(fire- | | Nos | 1 | , , |
| 100 mm x 15mm or as per drgs along the full length of the room upto a maximum of 3000mm. The rates quoted are complete in all respects including fixing the the pelmet with invisible fixing as required at site inclusive of cleats, screws etc. j) Study table chair with Swivel base, Chromed steel base Dia60. Rubber wheels. Lift pump gas through gas UNI 9084/2002. 5 positions advanced tilting mechanism. Fire proof PU upholstery finish as per image attached. k) Providing and fixing individual pocket spring coil matteress of 1800x2000x200 mm comprising of in the same order , knitting fabric(fire-proof),2.5cm 25density Wave foam, 30g nonwoven fabric, 1PCS white cotton pad, pocket spring 2.0mm 15CM, 1PCS white cotton pad, 30g nonwoven fabric, 2.5cm 25density Wave foam,knitting fabric(fire- | | Nos | 1 | Fridge unit of 650x600 mm & height 950 or as per drgs finished as mentioned above . |
| 100 mm x 15mm or as per drgs along the full length of the room upto a maximum of 3000mm. The rates quoted are complete in all respects including fixing the the pelmet with invisible fixing as required at site inclusive of cleats, screws etc. j) Study table chair with Swivel base, Chromed steel base Dia60. Rubber wheels. Lift pump gas through gas UNI 9084/2002. 5 positions advanced tilting mechanism. Fire proof PU upholstery finish as per image attached. k) Providing and fixing individual pocket spring coil matteress of 1800x2000x200 mm comprising of in the same order , knitting fabric(fire-proof),2.5cm 25density Wave foam, 30g nonwoven fabric, 1PCS white cotton pad, pocket spring 2.0mm 15CM, 1PCS white cotton pad, 30g nonwoven fabric, 2.5cm 25density Wave foam,knitting fabric(fire- | | | | |
| 100 mm x 15mm or as per drgs along the full length of the room upto a maximum of 3000mm. The rates quoted are complete in all respects including fixing the the pelmet with invisible fixing as required at site inclusive of cleats, screws etc. j) Study table chair with Swivel base, Chromed steel base Dia60. Rubber wheels. Lift pump gas through gas UNI 9084/2002. 5 positions advanced tilting mechanism. Fire proof PU upholstery finish as per image attached. k) Providing and fixing individual pocket spring coil matteress of 1800x2000x200 mm comprising of in the same order , knitting fabric(fire-proof),2.5cm 25density Wave foam, 30g nonwoven fabric, 1PCS white cotton pad, pocket spring 2.0mm 15CM, 1PCS white cotton pad, 30g nonwoven fabric, 2.5cm 25density Wave foam,knitting fabric(fire- | | Nos | 1 | Providing and fixing wooden finished pelmet in same finish as mentioned above of size |
| 3000mm. The rates quoted are complete in all respects including fixing the the pelmet with invisible fixing as required at site inclusive of cleats, screws etc . j) Study table chair with Swivel base, Chromed steel base Dia60, Rubber wheels. Lift pump gas through gas UNI 9084/2002. 5 positions advanced tilting mechanism. Fire proof PU upholstery finish as per image attached. k) Providing and fixing individual pocket spring coil matteress of 1800x2000x200 mm comprising of in the same order , knitting fabric(fire-proof),2.5cm 25density Wave foam, 30g nonwoven fabric, 1PCS white cotton pad, pocket spring 2.0mm 15CM, 1PCS white cotton pad, 30g nonwoven fabric, 2.5cm 25density Wave foam,knitting fabric(fire- | | | | |
| with invisible fixing as required at site inclusive of cleats, screws etc . j) Study table chair with Swivel base, Chromed steel base Dia60, Rubber wheels. Lift pump gas through gas UNI 9084/2002. 5 positions advanced tilting mechanism. Fire proof PU upholstery finish as per image attached. k) Providing and fixing individual pocket spring coil matteress of 1800x2000x200 mm comprising of in the same order , knitting fabric(fire-proof),2.5cm 25density Wave foam, 30g nonwoven fabric, 1PCS white cotton pad, pocket spring 2.0mm 15CM, 1PCS white cotton pad, 30g nonwoven fabric, 2.5cm 25density Wave foam,knitting fabric(fire- | | | | |
| j) Study table chair with Swivel base, Chromed steel base Dia60, Rubber wheels. Lift pump gas through gas UNI 9084/2002. 5 positions advanced tilting mechanism. Fire proof PU upholstery finish as per image attached. k) Providing and fixing individual pocket spring coil matteress of 1800x2000x200 mm comprising of in the same order , knitting fabric(fire-proof),2.5cm 25density Wave foam, 30g nonwoven fabric, 1PCS white cotton pad, pocket spring 2.0mm 15CM, 1PCS white cotton pad, 30g nonwoven fabric, 2.5cm 25density Wave foam,knitting fabric(fire- | | | | |
| pump gas through gas UNI 9084/2002. 5 positions advanced tilting mechanism. Fire proof PU upholstery finish as per image attached. k) Providing and fixing individual pocket spring coil matteress of 1800x2000x200 mm comprising of in the same order , knitting fabric(fire-proof),2.5cm 25density Wave foam, 30g nonwoven fabric, 1PCS white cotton pad, pocket spring 2.0mm 15CM, 1PCS white cotton pad, 30g nonwoven fabric, 2.5cm 25density Wave foam,knitting fabric(fire- | | | | with invisible fixing as required at site inclusive of cleats, screws etc. |
| pump gas through gas UNI 9084/2002. 5 positions advanced tilting mechanism. Fire proof PU upholstery finish as per image attached. k) Providing and fixing individual pocket spring coil matteress of 1800x2000x200 mm comprising of in the same order , knitting fabric(fire-proof),2.5cm 25density Wave foam, 30g nonwoven fabric, 1PCS white cotton pad, pocket spring 2.0mm 15CM, 1PCS white cotton pad, 30g nonwoven fabric, 2.5cm 25density Wave foam,knitting fabric(fire- | | Nos | 1 | Study table chair with Swivel base. Chromod steel base Dia60. Rubber wheels Lift |
| k) Providing and fixing individual pocket spring coil matteress of 1800x2000x200 mm comprising of in the same order , knitting fabric(fire-proof),2.5cm 25density Wave foam, 30g nonwoven fabric, 1PCS white cotton pad, pocket spring 2.0mm 15CM, 1PCS white cotton pad, 30g nonwoven fabric, 2.5cm 25density Wave foam,knitting fabric(fire- | | 1103 | 1 | |
| k) Providing and fixing individual pocket spring coil matteress of 1800x2000x200 mm comprising of in the same order , knitting fabric(fire-proof),2.5cm 25density Wave foam, 30g nonwoven fabric, 1PCS white cotton pad, pocket spring 2.0mm 15CM, 1PCS white cotton pad, 30g nonwoven fabric, 2.5cm 25density Wave foam,knitting fabric(fire- | | | | |
| comprising of in the same order , knitting fabric(fire-proof),2.5cm 25density Wave foam, 30g nonwoven fabric, 1PCS white cotton pad, pocket spring 2.0mm 15CM, 1PCS white cotton pad, 30g nonwoven fabric, 2.5cm 25density Wave foam,knitting fabric(fire- | | | | proof PU upholstery finish as per image attached. |
| comprising of in the same order , knitting fabric(fire-proof),2.5cm 25density Wave foam, 30g nonwoven fabric, 1PCS white cotton pad, pocket spring 2.0mm 15CM, 1PCS white cotton pad, 30g nonwoven fabric, 2.5cm 25density Wave foam,knitting fabric(fire- | | | | |
| comprising of in the same order , knitting fabric(fire-proof),2.5cm 25density Wave foam, 30g nonwoven fabric, 1PCS white cotton pad, pocket spring 2.0mm 15CM, 1PCS white cotton pad, 30g nonwoven fabric, 2.5cm 25density Wave foam,knitting fabric(fire- | | | | |
| comprising of in the same order , knitting fabric(fire-proof),2.5cm 25density Wave foam, 30g nonwoven fabric, 1PCS white cotton pad, pocket spring 2.0mm 15CM, 1PCS white cotton pad, 30g nonwoven fabric, 2.5cm 25density Wave foam,knitting fabric(fire- | | | | |
| comprising of in the same order , knitting fabric(fire-proof),2.5cm 25density Wave foam, 30g nonwoven fabric, 1PCS white cotton pad, pocket spring 2.0mm 15CM, 1PCS white cotton pad, 30g nonwoven fabric, 2.5cm 25density Wave foam,knitting fabric(fire- | | | | |
| comprising of in the same order , knitting fabric(fire-proof),2.5cm 25density Wave foam, 30g nonwoven fabric, 1PCS white cotton pad, pocket spring 2.0mm 15CM, 1PCS white cotton pad, 30g nonwoven fabric, 2.5cm 25density Wave foam,knitting fabric(fire- | | | | |
| comprising of in the same order , knitting fabric(fire-proof),2.5cm 25density Wave foam, 30g nonwoven fabric, 1PCS white cotton pad, pocket spring 2.0mm 15CM, 1PCS white cotton pad, 30g nonwoven fabric, 2.5cm 25density Wave foam,knitting fabric(fire- | | | | |
| comprising of in the same order , knitting fabric(fire-proof),2.5cm 25density Wave foam, 30g nonwoven fabric, 1PCS white cotton pad, pocket spring 2.0mm 15CM, 1PCS white cotton pad, 30g nonwoven fabric, 2.5cm 25density Wave foam,knitting fabric(fire- | | | | |
| comprising of in the same order , knitting fabric(fire-proof),2.5cm 25density Wave foam, 30g nonwoven fabric, 1PCS white cotton pad, pocket spring 2.0mm 15CM, 1PCS white cotton pad, 30g nonwoven fabric, 2.5cm 25density Wave foam,knitting fabric(fire- | | | | |
| comprising of in the same order , knitting fabric(fire-proof),2.5cm 25density Wave foam, 30g nonwoven fabric, 1PCS white cotton pad, pocket spring 2.0mm 15CM, 1PCS white cotton pad, 30g nonwoven fabric, 2.5cm 25density Wave foam,knitting fabric(fire- | | Nos | 1 | Providing and fixing individual pocket spring coil matteress of 1800x2000x200 mm |
| foam, 30g nonwoven fabric, 1PCS white cotton pad, pocket spring 2.0mm 15CM, 1PCS white cotton pad, 30g nonwoven fabric, 2.5cm 25density Wave foam,knitting fabric(fire | | | | |
| white cotton pad, 30g nonwoven fabric, 2.5cm 25density Wave foam,knitting fabric(fire | | | | |
| | | | | |
| proof), the matrees shall be finished in the same finish on bothsides & shall be usable | | | 1 | |
| | | | | |
| on bothsides. | | | | on bothsides. |
| | | | | |
| 2) Providing and fixing of LED electrical fixtures for full furnishing of rooms as per details | | | | Providing and fixing of LED electrical fixtures for full furnishing of rooms as per details |
| mentioned below. The LED fixtures shall be of philips/ wipro/osram/GE/ La Diva/ | | | | mentioned below. The LED fixtures shall be of philips/ wipro/osram/GE/ La Diva/ |
| Havells/ Reiz and shall carry a warranty of minimum 3 years . | | | | Havells/ Reiz and shall carry a warranty of minimum 3 years . |
| | | | | <u> </u> |
| a. recessed spotlight with double ring system as per image attached for installation in 6 rate only | nly | rate only | 6 | |
| false ceiling inclusive of 6/7W LED of 6500 K | | | | false ceiling inclusive of 6/7W LED of 6500 K |
| | | | | |
| | | | | |
| | | | | |
| | | | 1 | |
| | | l | | |
| | | | | |

| S. No. | Item | Quantity | Units | Rate | Amount |
|--------|--|----------|-----------|------|--------|
| b. | Bed light fixed type in stainless steel mirror finish with fabric finished lamp shade and 13 W 5000 K LED screw type lamp fixed on screw type holder cmplete in all respects | 2 | rate only | | |
| C. | Wall bracket light fixed type in chrome/ mirror finish with fabric finished lamp shade and 18 W 5000 K LED screw type lamp fixed on screw type holder complete in all respects | 3 | rate only | | |
| d. | Recessed downlighter with 18W 6500 K LED minimum 1200 lumens output | 2 | rate only | | |
| 3) | Providing and fixing curtains from floor to ceiling to cover and overlap windows of size 1800 mm width in 2 layers consisting of 1st layer of sheer curtains of tissue organza without pleats and second layer consisting of black out satin cloth with pleats including providing and fixing 2 nos i channels of aluminium as used in hospitals for smooth running of the curtains. The rates quoted shall be inclusive of fixing the channels with cleats etc as required , providing rollers @4"c/c , fixing and stitching of curtains as required by client and installing at site complete in all respects. | 1 | rate only | | |
| 4) | Providing and fixing 32inch LED tv of samsung/ LG/ Toshiba/ Panasonic/ Sony make inclusive of wall bracket and fixing at site complete. The TV shall be HD, with USB port, minimum contrast ratio 1200:1, screen resolution minimum 1366 X 768, Brightness 280 cd/m2, Dolby Digital Plus/Dolby Pulse, SRS Theatre Sound, DTS 2.0 + Digital out, Digital Noise Filter, Auto Power off, DVB - T/C, Analog Tuner, MPEG 5, Plug and Play, Music Mode, Hotel Channel test, Welcome Logo, Energy Saving Mode, Alarm Key, Multi Code Remote. The TV shall have a manufacturer warranty of 3 years. | 1 | rate only | | |
| | SUB-TOTAL COST OF 1 SET OF ROOM WITH ALL THE ABOVE MENTIONED ITEMS IN SUBHEAD 1 | 1 | set | | |
| | TOTAL COST OF 238 SETS OF ROOMS | 238 | Nos. | | |
| | SGPC reserves the right to delete any of the items mentioned above before placing of the order | | | | |